



## 颚式粉碎机 BB 200

多功能单元，注重精细度



颚式粉碎仪 BB 200

## 零点调整磨损补偿

??  
 ???  
 ???  
 ???  
 ???



颚式粉碎仪 BB 200

## 用户的便利性与最大的安全性相结合

???RETSCH??  
 ???  
 ???



用于安全高效的破碎过程

## 鄂式破碎机BB 200配件

破碎鄂板和耐磨板有五种不同的材质可供选择，具体取决于样品和要进行的分析：

- | 锰钢
- | 不锈钢
- | 碳化钨
- | 防重金属研磨钢




颚式粉碎仪 BB 200

## 特殊要求的颚式破碎机

除了标准型号外，BB 200颚式破碎机还可根据特定应用要求提供特殊版本。


### 防重金属污染破碎

????????????????????BB 200????????????????????  
??  
????????????????????????????????



### 连续预粉碎或精细研磨

??BB 200?RETSCH 盘  
式研磨仪 DM 200 ?????????????? ?????????????????????  
????????????????????????????????90????????????????100???



### 生产线版本

BB 200??  
??



## 颚式粉碎机 BB 200

## 典型样品材料

RETSCH强大的颚式破碎机非常适合对建筑材料、矿石、花岗岩、氧化物陶瓷、石英、矿渣、硅、煤、钨合金、水泥熟料等进行初步破碎。



混凝土



玉制品



玻璃




煤炭

为了找到解决方案，请访问我们的应用数据库。

颚式粉碎机 BB 200

## 作用原理

BB 200??  
??  
??  
????????????????



[点击观看视频](#)

颚式粉碎仪 BB 200

## 技术参数

应用	粗粉碎
应用领域	化学 / 合成材料, 地质 / 冶金, 工程/电子, 建筑原料, 环境 / 资源回收利用, 玻璃/ 陶瓷
样品特征	中硬性, 硬的, 脆性的, 硬的
粉碎原理:	压力
最大进样尺寸	< 90 mm
最终出料粒度 *	< 2 mm
处理量*:	300 kg/h
研磨套件材料:	锰钢, 不锈钢, 碳化钨, 钢 1.1750 (防重金属研磨)
颚板宽度	90 x 90 mm
研磨间隙宽度调节	0 - 30 mm
间隙宽度显示	规模
零点-校准	是
可翻置漏斗	是
加配吸尘器	是
无需维护和润滑的滑动轴承。	是
安装装备型供货	可选项
接收槽容积	5 l
驱动	单相电机/三相电机
驱动功率	1.5 kW
电源数据:	不同电压
电源接头:	单相/三相
防护类型	IP 54
机体尺寸 (宽x高x纵深)	450 x 1160 x 900 mm
净重	~ 300 kg
标准	CE

受样品材料性质和仪器配置/设定的影响

[www.retsch.cn/bb200](http://www.retsch.cn/bb200)

## ORDER DATA

### 颚式破碎机BB200



#### Jaw Crusher BB 200 complete with breaking jaws and wearing plates

				粉碎颚板 / 刮磨板
20.053.0001		BB 200	3/N~ 400 V, 50 Hz	粉碎颚板为锰钢（精铸型）制；刮磨板为不锈钢制
20.053.0002		BB 200	3/N~ 400 V, 50 Hz	不锈钢 / 不锈钢
20.053.0003		BB 200	3/N~ 400 V, 50 Hz	氧化锆 / 不锈钢
20.053.0043		BB 200	3/N~ 400 V, 50 Hz	碳化钨 / 碳化钨
20.059.0001	 	BB 200	3~ 400 V, 50 Hz	tungsten carbide / tungsten carbide, all parts coming into contact with the sample are heavy-metal-free
20.053.0018		BB 200	3/N~ 400 V, 50 Hz	steel 1.1750 / steel 1.0344, for grinding without heavy-metal contamination

其余可选的电源配置机型价格相同

### JAW CRUSHER BB 200 VERSION FOR INTEGRATION

**Version for integration into a system at the customer's location, with manufacturer's declaration according to EC machine directive, with three-phase motor (voltages on request), without hopper and protective motor switch**

20.058.1001		BB 200, 粉碎颚板为锰钢（精铸型）制；刮磨板为不锈钢制		
20.058.1002		BB 200, 不锈钢 / 不锈钢		
20.058.1003		BB 200, 氧化锆 / 不锈钢		




### ACCESSORIES JAW CRUSHER BB 200

1)

#### BREAKING JAWS BB 200

22.048.0004		颚板 锰钢 1对
22.048.0005		颚板 不锈钢 1对
22.048.0006		颚板 碳化钨 1对
22.048.0024		颚板 碳化钨 1 pair, for jaw crusher 20.059.0001
22.048.0026		颚板 NiHard 4 1对
22.048.0018		颚板 1.1750钢 1 pair, for grinding without heavy-metal contamination

#### WEARING PLATES BB 200

22.711.0003		摩擦板 不锈钢 1对
22.711.0010		摩擦板 碳化钨 1对
22.711.0006		摩擦板 1.0344钢 1 pair, for grinding without heavy-metal contamination

#### FURTHER ACCESSORIES BB 200

22.351.0003		三角皮带, 1套(3件)
02.824.0054		BB 200/盘式研磨仪DM 200组合套装架子