



WOVEN WIRE MESH SIEVES - Ø 200 MM / 203 MM

Kravene til analyse av kornstørrelse stiger stadig. Dette manifesterer seg også i de skjerpede kravene i henhold til den nye siktestandarden DIN ISO 3310. For å tilpasse kvaliteten på våre analysesikter til disse nye kravene, har RETSCH utviklet en helt ny produksjonsmetode som garanterer en kvalitet og konsistens i sikteproduksjonen (200 x 50 mm, 200 x 25 mm, 203 x 50 mm (8"x 2"), 203 x 25 mm (8"x 1")). I tillegg tillater logistikken i produksjonsprosessen en sporing uten hull av alle behandlede materialer.

FORDELER

- | stainless steel sieve frame with high form stability
- | høy korrosjonsresistens og enkel rengjøring på grunn av høylegert seigherdingsstål
- | sieve mesh sizes from 20 µm to 125 mm
- | permanently tight sieve fabric
- | excellent product quality due to extensive optical inspection
- | maximum stability and optimum sealing when used in sieve stacks thanks to the o-ring which is placed in the recess designed for this purpose
- | clear and precise labeling of the sieves with full traceability based on individualized laser engraving

BRUKSEKSEMPLER

RETSCH's woven wire mesh sieves are ideally suited for separation, fractioning and particle size determination of cement clinker, chemicals, coffee, construction materials, fertilizers, fillers, flours, grains, metals powders, minerals, nuts, plastics, sand, seeds, soils and washing powder.

WOVEN WIRE MESH SIEVES - Ø 200 MM / 203 MM

TECHNICAL DATA

| | |
|----------------------------|--|
| funksjon | separering, fraksjonering, bestemmelse av partikkelstørrelse |
| bruksområde | biologi, byggematerialer, geologi / metallurgi, glass / keramikk, kjemi / plast, landbruk, maskinbygging / elektroteknikk, matvarer, medisin / legemidler, miljø / gjenvinning |
| matemateriale | pulver, masse gods, suspensjoner |
| Frame diameter | Ø 200 mm / 203 mm (8 inch) |
| Surface type | wire gauze |
| Mesh sizes | 125 mm - 20 µm |
| Normer / standarder | ISO 3310-1 / ASTM E11 |

/sieve







BESTILLINGSINFO

ACCESSORIES FOR TEST SIEVES (PANS, RINGS, LIDS)

FOR TEST SIEVES 200 MM Ø, HEIGHT 50 MM

| | | | | | |
|-------------|---|------------------------------|-----------------|----------|--------------|
| 69.720.0050 |  | Collecting pan | stainless steel | 200 mm Ø | height 50 mm |
| 69.220.0050 |  | Intermediate pan | stainless steel | 200 mm Ø | height 50 mm |
| 69.121.0050 |  | Intermediate ring | stainless steel | 200 mm Ø | height 50 mm |
| 69.520.0051 |  | Sieve lid | stainless steel | 200 mm Ø | |
| 69.420.0050 |  | Collecting pan with outlet | stainless steel | 200 mm Ø | height 50 mm |
| 69.221.0025 |  | Venting ring for wet sieving | stainless steel | 200 mm Ø | height 25 mm |
| 05.114.0174 | | O-ring for test sieves | | 200 mm Ø | |

FOR TEST SIEVES 200 MM Ø, HEIGHT 25 MM

| | | | | | |
|-------------|---|---|--|--|--|
| 69.720.0025 |  | Collecting pan, stainless steel, 200 mm Ø, height 25 mm | | | |
| 69.220.0025 |  | Intermediate pan, stainless steel, 200 mm Ø, height 25 mm | | | |
| 69.121.0025 |  | Intermediate ring, stainless steel, 200 mm Ø, height 25 mm | | | |
| 69.520.0051 |  | Sieve lid, stainless steel, 200 mm Ø | | | |
| 69.420.0050 |  | Collecting pan with outlet, stainless steel, 200 mm Ø, height 50 mm | | | |
| 69.221.0025 |  | Venting ring for wet sieving, stainless steel, 200 mm Ø, height 25 mm | | | |


05.114.0174 O-ring for test sieves, 200 mm Ø

FOR TEST SIEVES 203 MM Ø / 8" Ø, HEIGHT 2"


69.720.3050  Collecting pan, stainless steel, 8" Ø, height 2"

69.220.3050  Intermediate pan, stainless steel, 8" Ø, height 2"

69.121.3050  Intermediate ring, stainless steel, 8" Ø, height 2"

69.520.3051  Sieve lid, stainless steel, 8" Ø

69.420.3050  Collecting pan with outlet, stainless steel, 8" Ø, height 2"

69.221.3025  Venting ring for wet sieving, stainless steel, 8" Ø, height 1"


05.114.0174 O-ring for test sieves, 8" Ø

FOR TEST SIEVES 203 MM Ø / 8" Ø, HEIGHT 1"


69.720.3025  Collecting pan, stainless steel, 8" Ø, height 1"

69.220.3025  Intermediate pan, stainless steel, 8" Ø, height 1"

69.121.3025  Intermediate ring, stainless steel, 8" Ø, height 1"

69.520.3051  Sieve lid, stainless steel, 8" Ø

69.420.3050  Collecting pan with outlet, stainless steel, 8" Ø, height 2"

69.221.3025  Venting ring for wet sieving, stainless steel, 8" Ø, height 1"

05.114.0174 O-ring for test sieves, 8" Ø

TEST SIEVE RACK

32.012.0001



Test Sieve Rack for 10 Test Sieves Ø 200 mm/8", height 50 mm/25 mm

TEST SIEVES

TEST SIEVES Ø 200 MM - 50 MM HEIGHT - ISO 3310/1 - STAINLESS STEEL / WIRE GAUZE

| | # mm | # mesh no. | Ø | height | standard |
|---------------|--------|------------|--------|--------|------------|
| 60.131.000020 | 20 µm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.000025 | 25 µm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.000032 | 32 µm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.000036 | 36 µm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.000038 | 38 µm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.000040 | 40 µm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.000045 | 45 µm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.000050 | 50 µm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.000053 | 53 µm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.000056 | 56 µm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.000063 | 63 µm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.000071 | 71 µm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.000075 | 75 µm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.000080 | 80 µm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.000090 | 90 µm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.000100 | 100 µm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.000106 | 106 µm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.000112 | 112 µm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.000125 | 125 µm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.000140 | 140 µm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.000150 | 150 µm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.000160 | 160 µm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.000180 | 180 µm | - | 200 mm | 50 mm | ISO 3310/1 |

| | | | | | |
|---------------|---------|---|--------|-------|------------|
| 60.131.000200 | 200 µm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.000212 | 212 µm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.000224 | 224 µm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.000250 | 250 µm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.000280 | 280 µm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.000300 | 300 µm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.000315 | 315 µm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.000355 | 355 µm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.000400 | 400 µm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.000425 | 425 µm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.000450 | 450 µm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.000500 | 500 µm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.000560 | 560 µm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.000600 | 600 µm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.000630 | 630 µm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.000710 | 710 µm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.000800 | 800 µm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.000850 | 850 µm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.000900 | 900 µm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.001000 | 1.00 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.001120 | 1.12 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.001180 | 1.18 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.001250 | 1.25 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.001400 | 1.40 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.001600 | 1.60 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.001700 | 1.70 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.001800 | 1.80 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.002000 | 2.00 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.002240 | 2.24 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.002360 | 2.36 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.002500 | 2.50 mm | - | 200 mm | 50 mm | ISO 3310/1 |

| | | | | | |
|---------------|----------|---|--------|-------|------------|
| 60.131.002800 | 2.80 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.003150 | 3.15 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.003350 | 3.35 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.003550 | 3.55 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.004000 | 4.00 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.004500 | 4.50 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.004750 | 4.75 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.005000 | 5.00 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.005600 | 5.60 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.006300 | 6.30 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.006700 | 6.70 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.007100 | 7.10 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.008000 | 8.00 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.009000 | 9.00 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.009500 | 9.50 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.010000 | 10.00 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.011200 | 11.20 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.012500 | 12.50 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.013200 | 13.20 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.014000 | 14.00 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.016000 | 16.00 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.018000 | 18.00 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.019000 | 19.00 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.020000 | 20.00 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.022400 | 22.40 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.025000 | 25.00 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.026500 | 26.50 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.028000 | 28.00 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.031500 | 31.50 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.035500 | 35.50 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.037500 | 37.50 mm | - | 200 mm | 50 mm | ISO 3310/1 |

| | | | | | |
|---------------|-----------|---|--------|-------|------------|
| 60.131.040000 | 40.00 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.045000 | 45.00 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.050000 | 50.00 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.053000 | 53.00 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.056000 | 56.00 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.063000 | 63.00 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.071000 | 71.00 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.075000 | 75.00 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.080000 | 80.00 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.090000 | 90.00 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.100000 | 100.00 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.106000 | 106.00 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.112000 | 112.00 mm | - | 200 mm | 50 mm | ISO 3310/1 |
| 60.131.125000 | 125.00 mm | - | 200 mm | 50 mm | ISO 3310/1 |

TEST SIEVES Ø 200 MM - 25 MM HEIGHT - ISO 3310/1 - STAINLESS STEEL /WIRE GAUZE

| | # mm | # mesh no. | Ø | height | standard |
|---------------|-------|------------|--------|--------|------------|
| 60.122.000020 | 20 µm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.000025 | 25 µm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.000032 | 32 µm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.000036 | 36 µm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.000038 | 38 µm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.000040 | 40 µm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.000045 | 45 µm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.000050 | 50 µm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.000053 | 53 µm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.000056 | 56 µm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.000063 | 63 µm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.000071 | 71 µm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.000075 | 75 µm | - | 200 mm | 25 mm | ISO 3310/1 |

| | | | | | |
|---------------|---------|---|--------|-------|------------|
| 60.122.000080 | 80 µm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.000090 | 90 µm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.000100 | 100 µm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.000106 | 106 µm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.000112 | 112 µm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.000125 | 125 µm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.000140 | 140 µm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.000150 | 150 µm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.000160 | 160 µm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.000180 | 180 µm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.000200 | 200 µm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.000212 | 212 µm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.000224 | 224 µm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.000250 | 250 µm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.000280 | 280 µm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.000300 | 300 µm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.000315 | 315 µm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.000355 | 355 µm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.000400 | 400 µm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.000425 | 425 µm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.000450 | 450 µm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.000500 | 500 µm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.000560 | 560 µm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.000600 | 600 µm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.000630 | 630 µm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.000710 | 710 µm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.000800 | 800 µm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.000850 | 850 µm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.000900 | 900 µm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.001000 | 1.00 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.001120 | 1.12 mm | - | 200 mm | 25 mm | ISO 3310/1 |

| | | | | | |
|---------------|----------|---|--------|-------|------------|
| 60.122.001180 | 1.18 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.001250 | 1.25 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.001400 | 1.40 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.001600 | 1.60 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.001700 | 1.70 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.001800 | 1.80 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.002000 | 2.00 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.002240 | 2.24 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.002360 | 2.36 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.002500 | 2.50 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.002800 | 2.80 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.003150 | 3.15 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.003350 | 3.35 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.003550 | 3.55 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.004000 | 4.00 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.004500 | 4.50 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.004750 | 4.75 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.005000 | 5.00 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.005600 | 5.60 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.006300 | 6.30 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.006700 | 6.70 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.007100 | 7.10 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.008000 | 8.00 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.009000 | 9.00 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.009500 | 9.50 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.010000 | 10.00 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.011200 | 11.20 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.012500 | 12.50 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.013200 | 13.20 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.014000 | 14.00 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.016000 | 16.00 mm | - | 200 mm | 25 mm | ISO 3310/1 |

| | | | | | |
|---------------|-----------|---|--------|-------|------------|
| 60.122.018000 | 18.00 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.019000 | 19.00 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.020000 | 20.00 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.022400 | 22.40 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.025000 | 25.00 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.026500 | 26.50 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.028000 | 28.00 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.031500 | 31.50 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.035500 | 35.50 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.037500 | 37.50 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.040000 | 40.00 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.045000 | 45.00 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.050000 | 50.00 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.053000 | 53.00 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.056000 | 56.00 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.063000 | 63.00 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.071000 | 71.00 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.075000 | 75.00 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.080000 | 80.00 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.090000 | 90.00 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.100000 | 100.00 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.106000 | 106.00 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.112000 | 112.00 mm | - | 200 mm | 25 mm | ISO 3310/1 |
| 60.122.125000 | 125.00 mm | - | 200 mm | 25 mm | ISO 3310/1 |

TEST SIEVES Ø 8" - 2" HEIGHT - ISO 3310/1 - STAINLESS STEEL / WIRE GAUZE

| | # mm | # mesh no. | Ø | height | standard |
|---------------|-------|------------|----|--------|------------|
| 60.149.000020 | 20 µm | - | 8" | 2" | ISO 3310/1 |
| 60.149.000025 | 25 µm | - | 8" | 2" | ISO 3310/1 |
| 60.149.000032 | 32 µm | - | 8" | 2" | ISO 3310/1 |

| | | | | | |
|---------------|--------|---|----|----|------------|
| 60.149.000036 | 36 µm | - | 8" | 2" | ISO 3310/1 |
| 60.149.000038 | 38 µm | - | 8" | 2" | ISO 3310/1 |
| 60.149.000040 | 40 µm | - | 8" | 2" | ISO 3310/1 |
| 60.149.000045 | 45 µm | - | 8" | 2" | ISO 3310/1 |
| 60.149.000050 | 50 µm | - | 8" | 2" | ISO 3310/1 |
| 60.149.000053 | 53 µm | - | 8" | 2" | ISO 3310/1 |
| 60.149.000056 | 56 µm | - | 8" | 2" | ISO 3310/1 |
| 60.149.000063 | 63 µm | - | 8" | 2" | ISO 3310/1 |
| 60.149.000071 | 71 µm | - | 8" | 2" | ISO 3310/1 |
| 60.149.000075 | 75 µm | - | 8" | 2" | ISO 3310/1 |
| 60.149.000080 | 80 µm | - | 8" | 2" | ISO 3310/1 |
| 60.149.000090 | 90 µm | - | 8" | 2" | ISO 3310/1 |
| 60.149.000100 | 100 µm | - | 8" | 2" | ISO 3310/1 |
| 60.149.000106 | 106 µm | - | 8" | 2" | ISO 3310/1 |
| 60.149.000112 | 112 µm | - | 8" | 2" | ISO 3310/1 |
| 60.149.000125 | 125 µm | - | 8" | 2" | ISO 3310/1 |
| 60.149.000140 | 140 µm | - | 8" | 2" | ISO 3310/1 |
| 60.149.000150 | 150 µm | - | 8" | 2" | ISO 3310/1 |
| 60.149.000160 | 160 µm | - | 8" | 2" | ISO 3310/1 |
| 60.149.000180 | 180 µm | - | 8" | 2" | ISO 3310/1 |
| 60.149.000200 | 200 µm | - | 8" | 2" | ISO 3310/1 |
| 60.149.000212 | 212 µm | - | 8" | 2" | ISO 3310/1 |
| 60.149.000224 | 224 µm | - | 8" | 2" | ISO 3310/1 |
| 60.149.000250 | 250 µm | - | 8" | 2" | ISO 3310/1 |
| 60.149.000280 | 280 µm | - | 8" | 2" | ISO 3310/1 |
| 60.149.000300 | 300 µm | - | 8" | 2" | ISO 3310/1 |
| 60.149.000315 | 315 µm | - | 8" | 2" | ISO 3310/1 |
| 60.149.000355 | 355 µm | - | 8" | 2" | ISO 3310/1 |
| 60.149.000400 | 400 µm | - | 8" | 2" | ISO 3310/1 |
| 60.149.000425 | 425 µm | - | 8" | 2" | ISO 3310/1 |
| 60.149.000450 | 450 µm | - | 8" | 2" | ISO 3310/1 |

| | | | | | |
|---------------|---------|---|----|----|------------|
| 60.149.000500 | 500 µm | - | 8" | 2" | ISO 3310/1 |
| 60.149.000560 | 560 µm | - | 8" | 2" | ISO 3310/1 |
| 60.149.000600 | 600 µm | - | 8" | 2" | ISO 3310/1 |
| 60.149.000630 | 630 µm | - | 8" | 2" | ISO 3310/1 |
| 60.149.000710 | 710 µm | - | 8" | 2" | ISO 3310/1 |
| 60.149.000800 | 800 µm | - | 8" | 2" | ISO 3310/1 |
| 60.149.000850 | 850 µm | - | 8" | 2" | ISO 3310/1 |
| 60.149.000900 | 900 µm | - | 8" | 2" | ISO 3310/1 |
| 60.149.001000 | 1.00 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.001120 | 1.12 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.001180 | 1.18 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.001250 | 1.25 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.001400 | 1.40 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.001600 | 1.60 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.001700 | 1.70 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.001800 | 1.80 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.002000 | 2.00 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.002240 | 2.24 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.002360 | 2.36 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.002500 | 2.50 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.002800 | 2.80 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.003150 | 3.15 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.003350 | 3.35 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.003550 | 3.55 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.004000 | 4.00 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.004500 | 4.50 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.004750 | 4.75 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.005000 | 5.00 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.005600 | 5.60 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.006300 | 6.30 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.006700 | 6.70 mm | - | 8" | 2" | ISO 3310/1 |

| | | | | | |
|---------------|-----------|---|----|----|------------|
| 60.149.007100 | 7.10 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.008000 | 8.00 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.009000 | 9.00 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.009500 | 9.50 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.010000 | 10.00 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.011200 | 11.20 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.012500 | 12.50 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.013200 | 13.20 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.014000 | 14.00 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.016000 | 16.00 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.018000 | 18.00 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.019000 | 19.00 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.020000 | 20.00 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.022400 | 22.40 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.025000 | 25.00 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.026500 | 26.50 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.028000 | 28.00 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.031500 | 31.50 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.035500 | 35.50 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.037500 | 37.50 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.040000 | 40.00 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.045000 | 45.00 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.050000 | 50.00 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.053000 | 53.00 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.056000 | 56.00 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.063000 | 63.00 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.071000 | 71.00 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.075000 | 75.00 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.080000 | 80.00 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.090000 | 90.00 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.100000 | 100.00 mm | - | 8" | 2" | ISO 3310/1 |

| | | | | | |
|---------------|-----------|---|----|----|------------|
| 60.149.106000 | 106.00 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.112000 | 112.00 mm | - | 8" | 2" | ISO 3310/1 |
| 60.149.125000 | 125.00 mm | - | 8" | 2" | ISO 3310/1 |

TEST SIEVES Ø 8" - 1" HEIGHT - ISO 3310/1 - STAINLESS STEEL / WIRE GAUZE

| | # mm | # mesh no. | Ø | height | standard |
|---------------|--------|------------|----|--------|------------|
| 60.140.000020 | 20 µm | - | 8" | 1" | ISO 3310/1 |
| 60.140.000025 | 25 µm | - | 8" | 1" | ISO 3310/1 |
| 60.140.000032 | 32 µm | - | 8" | 1" | ISO 3310/1 |
| 60.140.000036 | 36 µm | - | 8" | 1" | ISO 3310/1 |
| 60.140.000038 | 38 µm | - | 8" | 1" | ISO 3310/1 |
| 60.140.000040 | 40 µm | - | 8" | 1" | ISO 3310/1 |
| 60.140.000045 | 45 µm | - | 8" | 1" | ISO 3310/1 |
| 60.140.000050 | 50 µm | - | 8" | 1" | ISO 3310/1 |
| 60.140.000053 | 53 µm | - | 8" | 1" | ISO 3310/1 |
| 60.140.000056 | 56 µm | - | 8" | 1" | ISO 3310/1 |
| 60.140.000063 | 63 µm | - | 8" | 1" | ISO 3310/1 |
| 60.140.000071 | 71 µm | - | 8" | 1" | ISO 3310/1 |
| 60.140.000075 | 75 µm | - | 8" | 1" | ISO 3310/1 |
| 60.140.000080 | 80 µm | - | 8" | 1" | ISO 3310/1 |
| 60.140.000090 | 90 µm | - | 8" | 1" | ISO 3310/1 |
| 60.140.000100 | 100 µm | - | 8" | 1" | ISO 3310/1 |
| 60.140.000106 | 106 µm | - | 8" | 1" | ISO 3310/1 |
| 60.140.000112 | 112 µm | - | 8" | 1" | ISO 3310/1 |
| 60.140.000125 | 125 µm | - | 8" | 1" | ISO 3310/1 |
| 60.140.000140 | 140 µm | - | 8" | 1" | ISO 3310/1 |
| 60.140.000150 | 150 µm | - | 8" | 1" | ISO 3310/1 |
| 60.140.000160 | 160 µm | - | 8" | 1" | ISO 3310/1 |
| 60.140.000180 | 180 µm | - | 8" | 1" | ISO 3310/1 |
| 60.140.000200 | 200 µm | - | 8" | 1" | ISO 3310/1 |

| | | | | | |
|---------------|---------|---|----|----|------------|
| 60.140.000212 | 212 µm | - | 8" | 1" | ISO 3310/1 |
| 60.140.000224 | 224 µm | - | 8" | 1" | ISO 3310/1 |
| 60.140.000250 | 250 µm | - | 8" | 1" | ISO 3310/1 |
| 60.140.000280 | 280 µm | - | 8" | 1" | ISO 3310/1 |
| 60.140.000300 | 300 µm | - | 8" | 1" | ISO 3310/1 |
| 60.140.000315 | 315 µm | - | 8" | 1" | ISO 3310/1 |
| 60.140.000355 | 355 µm | - | 8" | 1" | ISO 3310/1 |
| 60.140.000400 | 400 µm | - | 8" | 1" | ISO 3310/1 |
| 60.140.000425 | 425 µm | - | 8" | 1" | ISO 3310/1 |
| 60.140.000450 | 450 µm | - | 8" | 1" | ISO 3310/1 |
| 60.140.000500 | 500 µm | - | 8" | 1" | ISO 3310/1 |
| 60.140.000560 | 560 µm | - | 8" | 1" | ISO 3310/1 |
| 60.140.000600 | 600 µm | - | 8" | 1" | ISO 3310/1 |
| 60.140.000630 | 630 µm | - | 8" | 1" | ISO 3310/1 |
| 60.140.000710 | 710 µm | - | 8" | 1" | ISO 3310/1 |
| 60.140.000800 | 800 µm | - | 8" | 1" | ISO 3310/1 |
| 60.140.000850 | 850 µm | - | 8" | 1" | ISO 3310/1 |
| 60.140.000900 | 900 µm | - | 8" | 1" | ISO 3310/1 |
| 60.140.001000 | 1.00 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.001120 | 1.12 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.001180 | 1.18 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.001250 | 1.25 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.001400 | 1.40 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.001600 | 1.60 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.001700 | 1.70 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.001800 | 1.80 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.002000 | 2.00 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.002240 | 2.24 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.002360 | 2.36 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.002500 | 2.50 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.002800 | 2.80 mm | - | 8" | 1" | ISO 3310/1 |

| | | | | | |
|---------------|----------|---|----|----|------------|
| 60.140.003150 | 3.15 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.003350 | 3.35 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.003550 | 3.55 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.004000 | 4.00 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.004500 | 4.50 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.004750 | 4.75 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.005000 | 5.00 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.005600 | 5.60 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.006300 | 6.30 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.006700 | 6.70 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.007100 | 7.10 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.008000 | 8.00 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.009000 | 9.00 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.009500 | 9.50 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.010000 | 10.00 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.011200 | 11.20 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.012500 | 12.50 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.013200 | 13.20 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.014000 | 14.00 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.016000 | 16.00 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.018000 | 18.00 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.019000 | 19.00 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.020000 | 20.00 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.022400 | 22.40 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.025000 | 25.00 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.026500 | 26.50 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.028000 | 28.00 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.031500 | 31.50 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.035500 | 35.50 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.037500 | 37.50 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.040000 | 40.00 mm | - | 8" | 1" | ISO 3310/1 |

| | | | | | |
|---------------|-----------|---|----|----|------------|
| 60.140.045000 | 45.00 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.050000 | 50.00 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.053000 | 53.00 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.056000 | 56.00 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.063000 | 63.00 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.071000 | 71.00 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.075000 | 75.00 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.080000 | 80.00 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.090000 | 90.00 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.100000 | 100.00 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.106000 | 106.00 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.112000 | 112.00 mm | - | 8" | 1" | ISO 3310/1 |
| 60.140.125000 | 125.00 mm | - | 8" | 1" | ISO 3310/1 |

TEST SIEVES Ø 200 MM - 50 MM HEIGHT - ASTM E11 - STAINLESS STEEL / WIRE GAUZE

| | # mm | # mesh no. | Ø | height | standard |
|---------------|--------|------------|--------|--------|----------|
| 60.132.000020 | 20 µm | 635 Mesh | 200 mm | 50 mm | ASTM E11 |
| 60.132.000025 | 25 µm | 500 Mesh | 200 mm | 50 mm | ASTM E11 |
| 60.132.000032 | 32 µm | 450 Mesh | 200 mm | 50 mm | ASTM E11 |
| 60.132.000038 | 38 µm | 400 Mesh | 200 mm | 50 mm | ASTM E11 |
| 60.132.000045 | 45 µm | 325 Mesh | 200 mm | 50 mm | ASTM E11 |
| 60.132.000053 | 53 µm | 270 Mesh | 200 mm | 50 mm | ASTM E11 |
| 60.132.000063 | 63 µm | 230 Mesh | 200 mm | 50 mm | ASTM E11 |
| 60.132.000075 | 75 µm | 200 Mesh | 200 mm | 50 mm | ASTM E11 |
| 60.132.000090 | 90 µm | 170 Mesh | 200 mm | 50 mm | ASTM E11 |
| 60.132.000106 | 106 µm | 140 Mesh | 200 mm | 50 mm | ASTM E11 |
| 60.132.000125 | 125 µm | 120 Mesh | 200 mm | 50 mm | ASTM E11 |
| 60.132.000150 | 150 µm | 100 Mesh | 200 mm | 50 mm | ASTM E11 |
| 60.132.000180 | 180 µm | 80 Mesh | 200 mm | 50 mm | ASTM E11 |
| 60.132.000212 | 212 µm | 70 Mesh | 200 mm | 50 mm | ASTM E11 |

| | | | | | |
|---------------|----------|----------|--------|-------|----------|
| 60.132.000250 | 250 µm | 60 Mesh | 200 mm | 50 mm | ASTM E11 |
| 60.132.000300 | 300 µm | 50 Mesh | 200 mm | 50 mm | ASTM E11 |
| 60.132.000355 | 355 µm | 45 Mesh | 200 mm | 50 mm | ASTM E11 |
| 60.132.000425 | 425 µm | 40 Mesh | 200 mm | 50 mm | ASTM E11 |
| 60.132.000500 | 500 µm | 35 Mesh | 200 mm | 50 mm | ASTM E11 |
| 60.132.000600 | 600 µm | 30 Mesh | 200 mm | 50 mm | ASTM E11 |
| 60.132.000710 | 710 µm | 25 Mesh | 200 mm | 50 mm | ASTM E11 |
| 60.132.000850 | 850 µm | 20 Mesh | 200 mm | 50 mm | ASTM E11 |
| 60.132.001000 | 1.00 mm | 18 Mesh | 200 mm | 50 mm | ASTM E11 |
| 60.132.001180 | 1.18 mm | 16 Mesh | 200 mm | 50 mm | ASTM E11 |
| 60.132.001400 | 1.40 mm | 14 Mesh | 200 mm | 50 mm | ASTM E11 |
| 60.132.001700 | 1.70 mm | 12 Mesh | 200 mm | 50 mm | ASTM E11 |
| 60.132.002000 | 2.00 mm | 10 Mesh | 200 mm | 50 mm | ASTM E11 |
| 60.132.002360 | 2.36 mm | 8 Mesh | 200 mm | 50 mm | ASTM E11 |
| 60.132.002800 | 2.80 mm | 7 Mesh | 200 mm | 50 mm | ASTM E11 |
| 60.132.003350 | 3.35 mm | 6 Mesh | 200 mm | 50 mm | ASTM E11 |
| 60.132.004000 | 4.00 mm | 5 Mesh | 200 mm | 50 mm | ASTM E11 |
| 60.132.004750 | 4.75 mm | 4 Mesh | 200 mm | 50 mm | ASTM E11 |
| 60.132.005600 | 5.60 mm | 3.5 Mesh | 200 mm | 50 mm | ASTM E11 |
| 60.132.006300 | 6.30 mm | 1/4" | 200 mm | 50 mm | ASTM E11 |
| 60.132.006700 | 6.70 mm | 0.265" | 200 mm | 50 mm | ASTM E11 |
| 60.132.008000 | 8.00 mm | 5/16" | 200 mm | 50 mm | ASTM E11 |
| 60.132.009500 | 9.50 mm | 3/8" | 200 mm | 50 mm | ASTM E11 |
| 60.132.011200 | 11.20 mm | 7/16" | 200 mm | 50 mm | ASTM E11 |
| 60.132.012500 | 12.50 mm | 1/2" | 200 mm | 50 mm | ASTM E11 |
| 60.132.013200 | 13.20 mm | 0.530" | 200 mm | 50 mm | ASTM E11 |
| 60.132.016000 | 16.00 mm | 5/8" | 200 mm | 50 mm | ASTM E11 |
| 60.132.019000 | 19.00 mm | 3/4" | 200 mm | 50 mm | ASTM E11 |
| 60.132.022400 | 22.40 mm | 7/8" | 200 mm | 50 mm | ASTM E11 |
| 60.132.025000 | 25.00 mm | 1" | 200 mm | 50 mm | ASTM E11 |
| 60.132.026500 | 26.50 mm | 1.06" | 200 mm | 50 mm | ASTM E11 |

| | | | | | |
|---------------|-----------|--------|--------|-------|----------|
| 60.132.031500 | 31.50 mm | 1 1/4" | 200 mm | 50 mm | ASTM E11 |
| 60.132.037500 | 37.50 mm | 1 1/2" | 200 mm | 50 mm | ASTM E11 |
| 60.132.045000 | 45.00 mm | 1 3/4" | 200 mm | 50 mm | ASTM E11 |
| 60.132.050000 | 50.00 mm | 2" | 200 mm | 50 mm | ASTM E11 |
| 60.132.053000 | 53.00 mm | 2.12" | 200 mm | 50 mm | ASTM E11 |
| 60.132.063000 | 63.00 mm | 2 1/2" | 200 mm | 50 mm | ASTM E11 |
| 60.132.075000 | 75.00 mm | 3" | 200 mm | 50 mm | ASTM E11 |
| 60.132.090000 | 90.00 mm | 3 1/2" | 200 mm | 50 mm | ASTM E11 |
| 60.132.100000 | 100.00 mm | 4" | 200 mm | 50 mm | ASTM E11 |
| 60.132.106000 | 106.00 mm | 4.24" | 200 mm | 50 mm | ASTM E11 |
| 60.132.125000 | 125.00 mm | 5" | 200 mm | 50 mm | ASTM E11 |

TEST SIEVES Ø 200 MM - 25 MM HEIGHT - ASTM E11 - STAINLESS STEEL / WIRE GAUZE

| | # mm | # mesh no. | Ø | height | standard |
|---------------|--------|------------|--------|--------|----------|
| 60.123.000020 | 20 µm | 635 Mesh | 200 mm | 25 mm | ASTM E11 |
| 60.123.000025 | 25 µm | 500 Mesh | 200 mm | 25 mm | ASTM E11 |
| 60.123.000032 | 32 µm | 450 Mesh | 200 mm | 25 mm | ASTM E11 |
| 60.123.000038 | 38 µm | 400 Mesh | 200 mm | 25 mm | ASTM E11 |
| 60.123.000045 | 45 µm | 325 Mesh | 200 mm | 25 mm | ASTM E11 |
| 60.123.000053 | 53 µm | 270 Mesh | 200 mm | 25 mm | ASTM E11 |
| 60.123.000063 | 63 µm | 230 Mesh | 200 mm | 25 mm | ASTM E11 |
| 60.123.000075 | 75 µm | 200 Mesh | 200 mm | 25 mm | ASTM E11 |
| 60.123.000090 | 90 µm | 170 Mesh | 200 mm | 25 mm | ASTM E11 |
| 60.123.000106 | 106 µm | 140 Mesh | 200 mm | 25 mm | ASTM E11 |
| 60.123.000125 | 125 µm | 120 Mesh | 200 mm | 25 mm | ASTM E11 |
| 60.123.000150 | 150 µm | 100 Mesh | 200 mm | 25 mm | ASTM E11 |
| 60.123.000180 | 180 µm | 80 Mesh | 200 mm | 25 mm | ASTM E11 |
| 60.123.000212 | 212 µm | 70 Mesh | 200 mm | 25 mm | ASTM E11 |
| 60.123.000250 | 250 µm | 60 Mesh | 200 mm | 25 mm | ASTM E11 |
| 60.123.000300 | 300 µm | 50 Mesh | 200 mm | 25 mm | ASTM E11 |

| | | | | | |
|---------------|----------|----------|--------|-------|----------|
| 60.123.000355 | 355 µm | 45 Mesh | 200 mm | 25 mm | ASTM E11 |
| 60.123.000425 | 425 µm | 40 Mesh | 200 mm | 25 mm | ASTM E11 |
| 60.123.000500 | 500 µm | 35 Mesh | 200 mm | 25 mm | ASTM E11 |
| 60.123.000600 | 600 µm | 30 Mesh | 200 mm | 25 mm | ASTM E11 |
| 60.123.000710 | 710 µm | 25 Mesh | 200 mm | 25 mm | ASTM E11 |
| 60.123.000850 | 850 µm | 20 Mesh | 200 mm | 25 mm | ASTM E11 |
| 60.123.001000 | 1.00 mm | 18 Mesh | 200 mm | 25 mm | ASTM E11 |
| 60.123.001180 | 1.18 mm | 16 Mesh | 200 mm | 25 mm | ASTM E11 |
| 60.123.001400 | 1.40 mm | 14 Mesh | 200 mm | 25 mm | ASTM E11 |
| 60.123.001700 | 1.70 mm | 12 Mesh | 200 mm | 25 mm | ASTM E11 |
| 60.123.002000 | 2.00 mm | 10 Mesh | 200 mm | 25 mm | ASTM E11 |
| 60.123.002360 | 2.36 mm | 8 Mesh | 200 mm | 25 mm | ASTM E11 |
| 60.123.002800 | 2.80 mm | 7 Mesh | 200 mm | 25 mm | ASTM E11 |
| 60.123.003350 | 3.35 mm | 6 Mesh | 200 mm | 25 mm | ASTM E11 |
| 60.123.004000 | 4.00 mm | 5 Mesh | 200 mm | 25 mm | ASTM E11 |
| 60.123.004750 | 4.75 mm | 4 Mesh | 200 mm | 25 mm | ASTM E11 |
| 60.123.005600 | 5.60 mm | 3.5 Mesh | 200 mm | 25 mm | ASTM E11 |
| 60.123.006300 | 6.30 mm | 1/4" | 200 mm | 25 mm | ASTM E11 |
| 60.123.006700 | 6.70 mm | 0.265" | 200 mm | 25 mm | ASTM E11 |
| 60.123.008000 | 8.00 mm | 5/16" | 200 mm | 25 mm | ASTM E11 |
| 60.123.009500 | 9.50 mm | 3/8" | 200 mm | 25 mm | ASTM E11 |
| 60.123.011200 | 11.20 mm | 7/16" | 200 mm | 25 mm | ASTM E11 |
| 60.123.012500 | 12.50 mm | 1/2" | 200 mm | 25 mm | ASTM E11 |
| 60.123.013200 | 13.20 mm | 0.530" | 200 mm | 25 mm | ASTM E11 |
| 60.123.016000 | 16.00 mm | 5/8" | 200 mm | 25 mm | ASTM E11 |
| 60.123.019000 | 19.00 mm | 3/4" | 200 mm | 25 mm | ASTM E11 |
| 60.123.022400 | 22.40 mm | 7/8" | 200 mm | 25 mm | ASTM E11 |
| 60.123.025000 | 25.00 mm | 1" | 200 mm | 25 mm | ASTM E11 |
| 60.123.026500 | 26.50 mm | 1.06" | 200 mm | 25 mm | ASTM E11 |
| 60.123.031500 | 31.50 mm | 1 1/4" | 200 mm | 25 mm | ASTM E11 |
| 60.123.037500 | 37.50 mm | 1 1/2" | 200 mm | 25 mm | ASTM E11 |

| | | | | | |
|---------------|-----------|--------|--------|-------|----------|
| 60.123.045000 | 45.00 mm | 13/4" | 200 mm | 25 mm | ASTM E11 |
| 60.123.050000 | 50.00 mm | 2" | 200 mm | 25 mm | ASTM E11 |
| 60.123.053000 | 53.00 mm | 2.12" | 200 mm | 25 mm | ASTM E11 |
| 60.123.063000 | 63.00 mm | 2 1/2" | 200 mm | 25 mm | ASTM E11 |
| 60.123.075000 | 75.00 mm | 3" | 200 mm | 25 mm | ASTM E11 |
| 60.123.090000 | 90.00 mm | 3 1/2" | 200 mm | 25 mm | ASTM E11 |
| 60.123.100000 | 100.00 mm | 4" | 200 mm | 25 mm | ASTM E11 |
| 60.123.106000 | 106.00 mm | 4.24" | 200 mm | 25 mm | ASTM E11 |
| 60.123.125000 | 125.00 mm | 5" | 200 mm | 25 mm | ASTM E11 |

TEST SIEVES Ø 8" - 2" HEIGHT - ASTM E11 - STAINLESS STEEL / WIRE GAUZE

| | # mm | # mesh no. | Ø | height | standard |
|---------------|--------|------------|----|--------|----------|
| 60.150.000020 | 20 µm | 635 Mesh | 8" | 2" | ASTM E11 |
| 60.150.000025 | 25 µm | 500 Mesh | 8" | 2" | ASTM E11 |
| 60.150.000032 | 32 µm | 450 Mesh | 8" | 2" | ASTM E11 |
| 60.150.000038 | 38 µm | 400 Mesh | 8" | 2" | ASTM E11 |
| 60.150.000045 | 45 µm | 325 Mesh | 8" | 2" | ASTM E11 |
| 60.150.000053 | 53 µm | 270 Mesh | 8" | 2" | ASTM E11 |
| 60.150.000063 | 63 µm | 230 Mesh | 8" | 2" | ASTM E11 |
| 60.150.000075 | 75 µm | 200 Mesh | 8" | 2" | ASTM E11 |
| 60.150.000090 | 90 µm | 170 Mesh | 8" | 2" | ASTM E11 |
| 60.150.000106 | 106 µm | 140 Mesh | 8" | 2" | ASTM E11 |
| 60.150.000125 | 125 µm | 120 Mesh | 8" | 2" | ASTM E11 |
| 60.150.000150 | 150 µm | 100 Mesh | 8" | 2" | ASTM E11 |
| 60.150.000180 | 180 µm | 80 Mesh | 8" | 2" | ASTM E11 |
| 60.150.000212 | 212 µm | 70 Mesh | 8" | 2" | ASTM E11 |
| 60.150.000250 | 250 µm | 60 Mesh | 8" | 2" | ASTM E11 |
| 60.150.000300 | 300 µm | 50 Mesh | 8" | 2" | ASTM E11 |
| 60.150.000355 | 355 µm | 45 Mesh | 8" | 2" | ASTM E11 |
| 60.150.000425 | 425 µm | 40 Mesh | 8" | 2" | ASTM E11 |

| | | | | | |
|---------------|----------|----------|----|----|----------|
| 60.150.000500 | 500 µm | 35 Mesh | 8" | 2" | ASTM E11 |
| 60.150.000600 | 600 µm | 30 Mesh | 8" | 2" | ASTM E11 |
| 60.150.000710 | 710 µm | 25 Mesh | 8" | 2" | ASTM E11 |
| 60.150.000850 | 850 µm | 20 Mesh | 8" | 2" | ASTM E11 |
| 60.150.001000 | 1.00 mm | 18 Mesh | 8" | 2" | ASTM E11 |
| 60.150.001180 | 1.18 mm | 16 Mesh | 8" | 2" | ASTM E11 |
| 60.150.001400 | 1.40 mm | 14 Mesh | 8" | 2" | ASTM E11 |
| 60.150.001700 | 1.70 mm | 12 Mesh | 8" | 2" | ASTM E11 |
| 60.150.002000 | 2.00 mm | 10 Mesh | 8" | 2" | ASTM E11 |
| 60.150.002360 | 2.36 mm | 8 Mesh | 8" | 2" | ASTM E11 |
| 60.150.002800 | 2.80 mm | 7 Mesh | 8" | 2" | ASTM E11 |
| 60.150.003350 | 3.35 mm | 6 Mesh | 8" | 2" | ASTM E11 |
| 60.150.004000 | 4.00 mm | 5 Mesh | 8" | 2" | ASTM E11 |
| 60.150.004750 | 4.75 mm | 4 Mesh | 8" | 2" | ASTM E11 |
| 60.150.005600 | 5.60 mm | 3.5 Mesh | 8" | 2" | ASTM E11 |
| 60.150.006300 | 6.30 mm | 1/4" | 8" | 2" | ASTM E11 |
| 60.150.006700 | 6.70 mm | 0.265" | 8" | 2" | ASTM E11 |
| 60.150.008000 | 8.00 mm | 5/16" | 8" | 2" | ASTM E11 |
| 60.150.009500 | 9.50 mm | 3/8" | 8" | 2" | ASTM E11 |
| 60.150.011200 | 11.20 mm | 7/16" | 8" | 2" | ASTM E11 |
| 60.150.012500 | 12.50 mm | 1/2" | 8" | 2" | ASTM E11 |
| 60.150.013200 | 13.20 mm | 0.530" | 8" | 2" | ASTM E11 |
| 60.150.016000 | 16.00 mm | 5/8" | 8" | 2" | ASTM E11 |
| 60.150.019000 | 19.00 mm | 3/4" | 8" | 2" | ASTM E11 |
| 60.150.022400 | 22.40 mm | 7/8" | 8" | 2" | ASTM E11 |
| 60.150.025000 | 25.00 mm | 1" | 8" | 2" | ASTM E11 |
| 60.150.026500 | 26.50 mm | 1.06" | 8" | 2" | ASTM E11 |
| 60.150.031500 | 31.50 mm | 1 1/4" | 8" | 2" | ASTM E11 |
| 60.150.037500 | 37.50 mm | 1 1/2" | 8" | 2" | ASTM E11 |
| 60.150.045000 | 45.00 mm | 1 3/4" | 8" | 2" | ASTM E11 |
| 60.150.050000 | 50.00 mm | 2" | 8" | 2" | ASTM E11 |

| | | | | | |
|---------------|-----------|--------|----|----|----------|
| 60.150.053000 | 53.00 mm | 2.12" | 8" | 2" | ASTM E11 |
| 60.150.063000 | 63.00 mm | 2 1/2" | 8" | 2" | ASTM E11 |
| 60.150.075000 | 75.00 mm | 3" | 8" | 2" | ASTM E11 |
| 60.150.090000 | 90.00 mm | 3 1/2" | 8" | 2" | ASTM E11 |
| 60.150.100000 | 100.00 mm | 4" | 8" | 2" | ASTM E11 |
| 60.150.106000 | 106.00 mm | 4.24" | 8" | 2" | ASTM E11 |
| 60.150.125000 | 125.00 mm | 5" | 8" | 2" | ASTM E11 |

TEST SIEVES Ø 8" - 1" HEIGHT - ASTM E11 - STAINLESS STEEL / WIRE GAUZE

| | # mm | # mesh no. | Ø | height | standard |
|---------------|--------|------------|----|--------|----------|
| 60.141.000020 | 20 µm | 635 Mesh | 8" | 1" | ASTM E11 |
| 60.141.000025 | 25 µm | 500 Mesh | 8" | 1" | ASTM E11 |
| 60.141.000032 | 32 µm | 450 Mesh | 8" | 1" | ASTM E11 |
| 60.141.000038 | 38 µm | 400 Mesh | 8" | 1" | ASTM E11 |
| 60.141.000045 | 45 µm | 325 Mesh | 8" | 1" | ASTM E11 |
| 60.141.000053 | 53 µm | 270 Mesh | 8" | 1" | ASTM E11 |
| 60.141.000063 | 63 µm | 230 Mesh | 8" | 1" | ASTM E11 |
| 60.141.000075 | 75 µm | 200 Mesh | 8" | 1" | ASTM E11 |
| 60.141.000090 | 90 µm | 170 Mesh | 8" | 1" | ASTM E11 |
| 60.141.000106 | 106 µm | 140 Mesh | 8" | 1" | ASTM E11 |
| 60.141.000125 | 125 µm | 120 Mesh | 8" | 1" | ASTM E11 |
| 60.141.000150 | 150 µm | 100 Mesh | 8" | 1" | ASTM E11 |
| 60.141.000180 | 180 µm | 80 Mesh | 8" | 1" | ASTM E11 |
| 60.141.000212 | 212 µm | 70 Mesh | 8" | 1" | ASTM E11 |
| 60.141.000250 | 250 µm | 60 Mesh | 8" | 1" | ASTM E11 |
| 60.141.000300 | 300 µm | 50 Mesh | 8" | 1" | ASTM E11 |
| 60.141.000355 | 355 µm | 45 Mesh | 8" | 1" | ASTM E11 |
| 60.141.000425 | 425 µm | 40 Mesh | 8" | 1" | ASTM E11 |
| 60.141.000500 | 500 µm | 35 Mesh | 8" | 1" | ASTM E11 |
| 60.141.000600 | 600 µm | 30 Mesh | 8" | 1" | ASTM E11 |

| | | | | | |
|---------------|----------|----------|----|----|----------|
| 60.141.000710 | 710 µm | 25 Mesh | 8" | 1" | ASTM E11 |
| 60.141.000850 | 850 µm | 20 Mesh | 8" | 1" | ASTM E11 |
| 60.141.001000 | 1.00 mm | 18 Mesh | 8" | 1" | ASTM E11 |
| 60.141.001180 | 1.18 mm | 16 Mesh | 8" | 1" | ASTM E11 |
| 60.141.001400 | 1.40 mm | 14 Mesh | 8" | 1" | ASTM E11 |
| 60.141.001700 | 1.70 mm | 12 Mesh | 8" | 1" | ASTM E11 |
| 60.141.002000 | 2.00 mm | 10 Mesh | 8" | 1" | ASTM E11 |
| 60.141.002360 | 2.36 mm | 8 Mesh | 8" | 1" | ASTM E11 |
| 60.141.002800 | 2.80 mm | 7 Mesh | 8" | 1" | ASTM E11 |
| 60.141.003350 | 3.35 mm | 6 Mesh | 8" | 1" | ASTM E11 |
| 60.141.004000 | 4.00 mm | 5 Mesh | 8" | 1" | ASTM E11 |
| 60.141.004750 | 4.75 mm | 4 Mesh | 8" | 1" | ASTM E11 |
| 60.141.005600 | 5.60 mm | 3.5 Mesh | 8" | 1" | ASTM E11 |
| 60.141.006300 | 6.30 mm | 1/4" | 8" | 1" | ASTM E11 |
| 60.141.006700 | 6.70 mm | 0.265" | 8" | 1" | ASTM E11 |
| 60.141.008000 | 8.00 mm | 5/16" | 8" | 1" | ASTM E11 |
| 60.141.009500 | 9.50 mm | 3/8" | 8" | 1" | ASTM E11 |
| 60.141.011200 | 11.20 mm | 7/16" | 8" | 1" | ASTM E11 |
| 60.141.012500 | 12.50 mm | 1/2" | 8" | 1" | ASTM E11 |
| 60.141.013200 | 13.20 mm | 0.530" | 8" | 1" | ASTM E11 |
| 60.141.016000 | 16.00 mm | 5/8" | 8" | 1" | ASTM E11 |
| 60.141.019000 | 19.00 mm | 3/4" | 8" | 1" | ASTM E11 |
| 60.141.022400 | 22.40 mm | 7/8" | 8" | 1" | ASTM E11 |
| 60.141.025000 | 25.00 mm | 1" | 8" | 1" | ASTM E11 |
| 60.141.026500 | 26.50 mm | 1.06" | 8" | 1" | ASTM E11 |
| 60.141.031500 | 31.50 mm | 1 1/4" | 8" | 1" | ASTM E11 |
| 60.141.037500 | 37.50 mm | 1 1/2" | 8" | 1" | ASTM E11 |
| 60.141.045000 | 45.00 mm | 1 3/4" | 8" | 1" | ASTM E11 |
| 60.141.050000 | 50.00 mm | 2" | 8" | 1" | ASTM E11 |
| 60.141.053000 | 53.00 mm | 2.12" | 8" | 1" | ASTM E11 |
| 60.141.063000 | 63.00 mm | 2 1/2" | 8" | 1" | ASTM E11 |

| | | | | | |
|---------------|-----------|--------|----|----|----------|
| 60.141.075000 | 75.00 mm | 3" | 8" | 1" | ASTM E11 |
| 60.141.090000 | 90.00 mm | 3 1/2" | 8" | 1" | ASTM E11 |
| 60.141.100000 | 100.00 mm | 4" | 8" | 1" | ASTM E11 |
| 60.141.106000 | 106.00 mm | 4.24" | 8" | 1" | ASTM E11 |
| 60.141.125000 | 125.00 mm | 5" | 8" | 1" | ASTM E11 |