



## WOVEN WIRE MESH SIEVES - OTHER FRAME DIAMETERS

**The well-proven RETSCH sieves consist of a solid stainless steel sieve frame of high stability for reliable sieving results.** Paying close attention to mesh-specific requirements, the sieve fabric is precisely joined into the frame and tautened. RETSCH test sieve provides a clear and accurate labeling with full traceability.

**The sieves can be easily combined with all other sieve brands.** Each sieve that leaves our company comes with a test report or, at your request, with a special inspection certificate in conformity with **national and international standards (PDF)**. RETSCH calibration certificates confirm a great number of precision measurements, thus ensuring an even higher statistical reliability for your quality control.

**RETSCH test sieves are available in many sizes and varieties.**

## FORDELER

- | sieve meshes, frames and labeling comply with standards
- | tested 5 times, with quality certificate
- | according to DIN ISO, ASTM
- | individual inspection certificate for test materials monitoring according to ISO 9000 ff available on request
- | stainless steel sieves, 20 µm to 125 mm

## BRUKSEKSEMPLER

RETSCH's woven wire mesh sieves are ideally suited for separation, fractioning and particle size determination of cement clinker, chemicals, coffee, construction materials, fertilizers, fillers, flours, grains, metals powders, minerals, nuts, plastics, sand, seeds, soils and washing powder.

### WOVEN WIRE MESH SIEVES - OTHER FRAME DIAMETERS

#### TECHNICAL DATA



<b>funksjon</b>	separering, fraksjonering, bestemmelse av partikkelstørrelse
<b>bruksområde</b>	biologi, byggematerialer, geologi / metallurgi, glass / keramikk, kjemi / plast, landbruk, maskinbygging / elektroteknikk, matvarer, medisin / legemidler, miljø / gjenvinning
<b>matemateriale</b>	pulver, massegoods, suspensjoner
<b>Frame diameter</b>	ø 100 mm / 305 mm / 400 mm / 450 mm
<b>Surface type</b>	wire gauze
<b>Mesh sizes</b>	125 mm - 20 µm
<b>Normer / standarder</b>	ISO 3310-1 / ASTM E11

/sieve







## BESTILLINGSINFO

### ACCESSORIES FOR TEST SIEVES (PANS, RINGS, LIDS)







#### FOR TEST SIEVES 100 MM Ø

60.010.000100		Collecting pan, stainless steel, 100 mm Ø, height 40 mm
60.220.000100		Intermediate pan, stainless steel, 100 mm Ø, height 40 mm
60.935.000100		Intermediate ring, stainless steel, 100 mm Ø, height 40 mm
60.107.000100		Sieve lid, stainless steel, 100 mm Ø
60.010.100100		Collecting pan with outlet, stainless steel, 100 mm Ø, height 40 mm
05.114.0045		O-ring for test sieves, 100 mm Ø






#### FOR TEST SIEVES 305 MM Ø

60.010.000305		Collecting pan, stainless steel, 305 mm Ø, height 40 mm
69.230.0050		Intermediate pan, stainless steel, 305 mm Ø, height 40 mm
60.935.000305		Intermediate ring, stainless steel, 305 mm Ø, height 40 mm
60.107.000305		Sieve lid, stainless steel, 305 mm Ø
69.430.0050		Collecting pan with outlet, stainless steel, 305 mm Ø, height 56 mm
69.321.0050		Venting ring for wet sieving, stainless steel, 305 mm Ø, height 40 mm
05.114.0047		O-ring for test sieves, 305 mm Ø

FOR TEST SIEVES 400 MM Ø

60.010.000400		Collecting pan, stainless steel, 400 mm Ø, height 65 mm
60.220.000400		Intermediate pan, stainless steel, 400 mm Ø, height 65 mm
60.935.000400		Intermediate ring, stainless steel, 400 mm Ø, height 65 mm
60.107.000400		Sieve lid, stainless steel, 400 mm Ø
69.440.0070		Collecting pan with outlet, stainless steel, 400 mm Ø, height 70 mm
69.421.000400		Venting ring for wet sieving, stainless steel, 400 mm Ø, height 65 mm
05.114.0048		O-ring for test sieves, 400 mm Ø

FOR TEST SIEVES 450 MM Ø

60.010.000450		Collecting pan, stainless steel, 450 mm Ø, height 50 mm
60.220.000450		Intermediate pan, stainless steel, 450 mm Ø, height 100 mm
60.935.000450		Intermediate ring, stainless steel, 450 mm Ø, height 100 mm
69.545.0050		Sieve lid, stainless steel, 450 mm Ø
69.445.0084		Collecting pan with outlet, stainless steel, 450 mm Ø, height 85 mm
69.421.000450		Venting ring for wet sieving, stainless steel, 450 mm Ø, height 100 mm
05.114.0012		O-ring for test sieves, 450 mm Ø

## TEST SIEVES

## TEST SIEVES Ø 100 MM - 40 MM HEIGHT - ISO 3310/1 - STAINLESS STEEL / WIRE GAUZE

	# mm	# mesh no.	ø	height	standard
60.106.000020	20 µm	-	100 mm	40 mm	ISO 3310/1
60.106.000025	25 µm	-	100 mm	40 mm	ISO 3310/1
60.106.000032	32 µm	-	100 mm	40 mm	ISO 3310/1
60.106.000036	36 µm	-	100 mm	40 mm	ISO 3310/1
60.106.000038	38 µm	-	100 mm	40 mm	ISO 3310/1
60.106.000040	40 µm	-	100 mm	40 mm	ISO 3310/1
60.106.000045	45 µm	-	100 mm	40 mm	ISO 3310/1
60.106.000050	50 µm	-	100 mm	40 mm	ISO 3310/1
60.106.000053	53 µm	-	100 mm	40 mm	ISO 3310/1
60.106.000056	56 µm	-	100 mm	40 mm	ISO 3310/1
60.106.000063	63 µm	-	100 mm	40 mm	ISO 3310/1
60.106.000071	71 µm	-	100 mm	40 mm	ISO 3310/1
60.106.000075	75 µm	-	100 mm	40 mm	ISO 3310/1
60.106.000080	80 µm	-	100 mm	40 mm	ISO 3310/1
60.106.000090	90 µm	-	100 mm	40 mm	ISO 3310/1
60.106.000100	100 µm	-	100 mm	40 mm	ISO 3310/1
60.106.000106	106 µm	-	100 mm	40 mm	ISO 3310/1
60.106.000112	112 µm	-	100 mm	40 mm	ISO 3310/1
60.106.000125	125 µm	-	100 mm	40 mm	ISO 3310/1
60.106.000140	140 µm	-	100 mm	40 mm	ISO 3310/1
60.106.000150	150 µm	-	100 mm	40 mm	ISO 3310/1
60.106.000160	160 µm	-	100 mm	40 mm	ISO 3310/1
60.106.000180	180 µm	-	100 mm	40 mm	ISO 3310/1
60.106.000200	200 µm	-	100 mm	40 mm	ISO 3310/1
60.106.000212	212 µm	-	100 mm	40 mm	ISO 3310/1
60.106.000224	224 µm	-	100 mm	40 mm	ISO 3310/1
60.106.000250	250 µm	-	100 mm	40 mm	ISO 3310/1
60.106.000280	280 µm	-	100 mm	40 mm	ISO 3310/1

60.106.000300	300 µm	-	100 mm	40 mm	ISO 3310/1
60.106.000315	315 µm	-	100 mm	40 mm	ISO 3310/1
60.106.000355	355 µm	-	100 mm	40 mm	ISO 3310/1
60.106.000400	400 µm	-	100 mm	40 mm	ISO 3310/1
60.106.000425	425 µm	-	100 mm	40 mm	ISO 3310/1
60.106.000450	450 µm	-	100 mm	40 mm	ISO 3310/1
60.106.000500	500 µm	-	100 mm	40 mm	ISO 3310/1
60.106.000560	560 µm	-	100 mm	40 mm	ISO 3310/1
60.106.000600	600 µm	-	100 mm	40 mm	ISO 3310/1
60.106.000630	630 µm	-	100 mm	40 mm	ISO 3310/1
60.106.000710	710 µm	-	100 mm	40 mm	ISO 3310/1
60.106.000800	800 µm	-	100 mm	40 mm	ISO 3310/1
60.106.000850	850 µm	-	100 mm	40 mm	ISO 3310/1
60.106.000900	900 µm	-	100 mm	40 mm	ISO 3310/1
60.106.001000	1.00 mm	-	100 mm	40 mm	ISO 3310/1
60.106.001120	1.12 mm	-	100 mm	40 mm	ISO 3310/1
60.106.001180	1.18 mm	-	100 mm	40 mm	ISO 3310/1
60.106.001250	1.25 mm	-	100 mm	40 mm	ISO 3310/1
60.106.001400	1.40 mm	-	100 mm	40 mm	ISO 3310/1
60.106.001600	1.60 mm	-	100 mm	40 mm	ISO 3310/1
60.106.001700	1.70 mm	-	100 mm	40 mm	ISO 3310/1
60.106.001800	1.80 mm	-	100 mm	40 mm	ISO 3310/1
60.106.002000	2.00 mm	-	100 mm	40 mm	ISO 3310/1
60.106.002240	2.24 mm	-	100 mm	40 mm	ISO 3310/1
60.106.002360	2.36 mm	-	100 mm	40 mm	ISO 3310/1
60.106.002500	2.50 mm	-	100 mm	40 mm	ISO 3310/1
60.106.002800	2.80 mm	-	100 mm	40 mm	ISO 3310/1
60.106.003150	3.15 mm	-	100 mm	40 mm	ISO 3310/1
60.106.003350	3.35 mm	-	100 mm	40 mm	ISO 3310/1
60.106.003550	3.55 mm	-	100 mm	40 mm	ISO 3310/1
60.106.004000	4.00 mm	-	100 mm	40 mm	ISO 3310/1

60.106.004500	4.50 mm	-	100 mm	40 mm	ISO 3310/1
60.106.004750	4.75 mm	-	100 mm	40 mm	ISO 3310/1
60.106.005000	5.00 mm	-	100 mm	40 mm	ISO 3310/1
60.106.005600	5.60 mm	-	100 mm	40 mm	ISO 3310/1
60.106.006300	6.30 mm	-	100 mm	40 mm	ISO 3310/1
60.106.006700	6.70 mm	-	100 mm	40 mm	ISO 3310/1
60.106.007100	7.10 mm	-	100 mm	40 mm	ISO 3310/1
60.106.008000	8.00 mm	-	100 mm	40 mm	ISO 3310/1
60.106.009000	9.00 mm	-	100 mm	40 mm	ISO 3310/1
60.106.009500	9.50 mm	-	100 mm	40 mm	ISO 3310/1
60.106.010000	10.00 mm	-	100 mm	40 mm	ISO 3310/1
60.106.011200	11.20 mm	-	100 mm	40 mm	ISO 3310/1
60.106.012500	12.50 mm	-	100 mm	40 mm	ISO 3310/1
60.106.013200	13.20 mm	-	100 mm	40 mm	ISO 3310/1
60.106.014000	14.00 mm	-	100 mm	40 mm	ISO 3310/1
60.106.016000	16.00 mm	-	100 mm	40 mm	ISO 3310/1
60.106.018000	18.00 mm	-	100 mm	40 mm	ISO 3310/1
60.106.019000	19.00 mm	-	100 mm	40 mm	ISO 3310/1
60.106.020000	20.00 mm	-	100 mm	40 mm	ISO 3310/1
60.106.022400	22.40 mm	-	100 mm	40 mm	ISO 3310/1
60.106.025000	25.00 mm	-	100 mm	40 mm	ISO 3310/1
60.106.026500	26.50 mm	-	100 mm	40 mm	ISO 3310/1
60.106.028000	28.00 mm	-	100 mm	40 mm	ISO 3310/1
60.106.031500	31.50 mm	-	100 mm	40 mm	ISO 3310/1
60.106.035500	35.50 mm	-	100 mm	40 mm	ISO 3310/1
60.106.037500	37.50 mm	-	100 mm	40 mm	ISO 3310/1
60.106.040000	40.00 mm	-	100 mm	40 mm	ISO 3310/1
60.106.045000	45.00 mm	-	100 mm	40 mm	ISO 3310/1

## TEST SIEVES Ø 305 MM - 40 MM HEIGHT - ISO 3310/1 - STAINLESS STEEL / WIRE GAUZE

	# mm	# mesh no.	ø	height	standard
60.158.000025	25 µm	-	305 mm	40 mm	ISO 3310/1
60.158.000032	32 µm	-	305 mm	40 mm	ISO 3310/1
60.158.000036	36 µm	-	305 mm	40 mm	ISO 3310/1
60.158.000038	38 µm	-	305 mm	40 mm	ISO 3310/1
60.158.000040	40 µm	-	305 mm	40 mm	ISO 3310/1
60.158.000045	45 µm	-	305 mm	40 mm	ISO 3310/1
60.158.000050	50 µm	-	305 mm	40 mm	ISO 3310/1
60.158.000053	53 µm	-	305 mm	40 mm	ISO 3310/1
60.158.000056	56 µm	-	305 mm	40 mm	ISO 3310/1
60.158.000063	63 µm	-	305 mm	40 mm	ISO 3310/1
60.158.000071	71 µm	-	305 mm	40 mm	ISO 3310/1
60.158.000075	75 µm	-	305 mm	40 mm	ISO 3310/1
60.158.000080	80 µm	-	305 mm	40 mm	ISO 3310/1
60.158.000090	90 µm	-	305 mm	40 mm	ISO 3310/1
60.158.000100	100 µm	-	305 mm	40 mm	ISO 3310/1
60.158.000106	106 µm	-	305 mm	40 mm	ISO 3310/1
60.158.000112	112 µm	-	305 mm	40 mm	ISO 3310/1
60.158.000125	125 µm	-	305 mm	40 mm	ISO 3310/1
60.158.000140	140 µm	-	305 mm	40 mm	ISO 3310/1
60.158.000150	150 µm	-	305 mm	40 mm	ISO 3310/1
60.158.000160	160 µm	-	305 mm	40 mm	ISO 3310/1
60.158.000180	180 µm	-	305 mm	40 mm	ISO 3310/1
60.158.000200	200 µm	-	305 mm	40 mm	ISO 3310/1
60.158.000212	212 µm	-	305 mm	40 mm	ISO 3310/1
60.158.000224	224 µm	-	305 mm	40 mm	ISO 3310/1
60.158.000250	250 µm	-	305 mm	40 mm	ISO 3310/1
60.158.000280	280 µm	-	305 mm	40 mm	ISO 3310/1
60.158.000300	300 µm	-	305 mm	40 mm	ISO 3310/1
60.158.000315	315 µm	-	305 mm	40 mm	ISO 3310/1
60.158.000355	355 µm	-	305 mm	40 mm	ISO 3310/1

60.158.000400	400 µm	-	305 mm	40 mm	ISO 3310/1
60.158.000425	425 µm	-	305 mm	40 mm	ISO 3310/1
60.158.000450	450 µm	-	305 mm	40 mm	ISO 3310/1
60.158.000500	500 µm	-	305 mm	40 mm	ISO 3310/1
60.158.000560	560 µm	-	305 mm	40 mm	ISO 3310/1
60.158.000600	600 µm	-	305 mm	40 mm	ISO 3310/1
60.158.000630	630 µm	-	305 mm	40 mm	ISO 3310/1
60.158.000710	710 µm	-	305 mm	40 mm	ISO 3310/1
60.158.000800	800 µm	-	305 mm	40 mm	ISO 3310/1
60.158.000850	850 µm	-	305 mm	40 mm	ISO 3310/1
60.158.000900	900 µm	-	305 mm	40 mm	ISO 3310/1
60.158.001000	1.00 mm	-	305 mm	40 mm	ISO 3310/1
60.158.001120	1.12 mm	-	305 mm	40 mm	ISO 3310/1
60.158.001180	1.18 mm	-	305 mm	40 mm	ISO 3310/1
60.158.001250	1.25 mm	-	305 mm	40 mm	ISO 3310/1
60.158.001400	1.40 mm	-	305 mm	40 mm	ISO 3310/1
60.158.001600	1.60 mm	-	305 mm	40 mm	ISO 3310/1
60.158.001700	1.70 mm	-	305 mm	40 mm	ISO 3310/1
60.158.001800	1.80 mm	-	305 mm	40 mm	ISO 3310/1
60.158.002000	2.00 mm	-	305 mm	40 mm	ISO 3310/1
60.158.002240	2.24 mm	-	305 mm	40 mm	ISO 3310/1
60.158.002360	2.36 mm	-	305 mm	40 mm	ISO 3310/1
60.158.002500	2.50 mm	-	305 mm	40 mm	ISO 3310/1
60.158.002800	2.80 mm	-	305 mm	40 mm	ISO 3310/1
60.158.003150	3.15 mm	-	305 mm	40 mm	ISO 3310/1
60.158.003350	3.35 mm	-	305 mm	40 mm	ISO 3310/1
60.158.003550	3.55 mm	-	305 mm	40 mm	ISO 3310/1
60.158.004000	4.00 mm	-	305 mm	40 mm	ISO 3310/1
60.158.004500	4.50 mm	-	305 mm	40 mm	ISO 3310/1
60.158.004750	4.75 mm	-	305 mm	40 mm	ISO 3310/1
60.158.005000	5.00 mm	-	305 mm	40 mm	ISO 3310/1

60.158.005600	5.60 mm	-	305 mm	40 mm	ISO 3310/1
60.158.006300	6.30 mm	-	305 mm	40 mm	ISO 3310/1
60.158.006700	6.70 mm	-	305 mm	40 mm	ISO 3310/1
60.158.007100	7.10 mm	-	305 mm	40 mm	ISO 3310/1
60.158.008000	8.00 mm	-	305 mm	40 mm	ISO 3310/1
60.158.009000	9.00 mm	-	305 mm	40 mm	ISO 3310/1
60.158.009500	9.50 mm	-	305 mm	40 mm	ISO 3310/1
60.158.010000	10.00 mm	-	305 mm	40 mm	ISO 3310/1
60.158.011200	11.20 mm	-	305 mm	40 mm	ISO 3310/1
60.158.012500	12.50 mm	-	305 mm	40 mm	ISO 3310/1
60.158.013200	13.20 mm	-	305 mm	40 mm	ISO 3310/1
60.158.014000	14.00 mm	-	305 mm	40 mm	ISO 3310/1
60.158.016000	16.00 mm	-	305 mm	40 mm	ISO 3310/1
60.158.018000	18.00 mm	-	305 mm	40 mm	ISO 3310/1
60.158.019000	19.00 mm	-	305 mm	40 mm	ISO 3310/1
60.158.020000	20.00 mm	-	305 mm	40 mm	ISO 3310/1
60.158.022400	22.40 mm	-	305 mm	40 mm	ISO 3310/1
60.158.025000	25.00 mm	-	305 mm	40 mm	ISO 3310/1
60.158.026500	26.50 mm	-	305 mm	40 mm	ISO 3310/1
60.158.028000	28.00 mm	-	305 mm	40 mm	ISO 3310/1
60.158.031500	31.50 mm	-	305 mm	40 mm	ISO 3310/1
60.158.035500	35.50 mm	-	305 mm	40 mm	ISO 3310/1
60.158.037500	37.50 mm	-	305 mm	40 mm	ISO 3310/1
60.158.040000	40.00 mm	-	305 mm	40 mm	ISO 3310/1
60.158.045000	45.00 mm	-	305 mm	40 mm	ISO 3310/1
60.158.050000	50.00 mm	-	305 mm	40 mm	ISO 3310/1
60.158.053000	53.00 mm	-	305 mm	40 mm	ISO 3310/1
60.158.056000	56.00 mm	-	305 mm	40 mm	ISO 3310/1
60.158.063000	63.00 mm	-	305 mm	40 mm	ISO 3310/1
60.158.071000	71.00 mm	-	305 mm	40 mm	ISO 3310/1
60.158.075000	75.00 mm	-	305 mm	40 mm	ISO 3310/1

60.158.080000	80.00 mm	-	305 mm	40 mm	ISO 3310/1
60.158.090000	90.00 mm	-	305 mm	40 mm	ISO 3310/1
60.158.100000	100.00 mm	-	305 mm	40 mm	ISO 3310/1
60.158.106000	106.00 mm	-	305 mm	40 mm	ISO 3310/1
60.158.112000	112.00 mm	-	305 mm	40 mm	ISO 3310/1
60.158.125000	125.00 mm	-	305 mm	40 mm	ISO 3310/1

## TEST SIEVES Ø 400 MM - 65 MM HEIGHT - ISO 3310/1 - STAINLESS STEEL / WIRE GAUZE

	# mm	# mesh no.	Ø	height	standard
60.166.000025	25 µm	-	400 mm	65 mm	ISO 3310/1
60.166.000032	32 µm	-	400 mm	65 mm	ISO 3310/1
60.166.000036	36 µm	-	400 mm	65 mm	ISO 3310/1
60.166.000038	38 µm	-	400 mm	65 mm	ISO 3310/1
60.166.000040	40 µm	-	400 mm	65 mm	ISO 3310/1
60.166.000045	45 µm	-	400 mm	65 mm	ISO 3310/1
60.166.000050	50 µm	-	400 mm	65 mm	ISO 3310/1
60.166.000053	53 µm	-	400 mm	65 mm	ISO 3310/1
60.166.000056	56 µm	-	400 mm	65 mm	ISO 3310/1
60.166.000063	63 µm	-	400 mm	65 mm	ISO 3310/1
60.166.000071	71 µm	-	400 mm	65 mm	ISO 3310/1
60.166.000075	75 µm	-	400 mm	65 mm	ISO 3310/1
60.166.000080	80 µm	-	400 mm	65 mm	ISO 3310/1
60.166.000090	90 µm	-	400 mm	65 mm	ISO 3310/1
60.166.000100	100 µm	-	400 mm	65 mm	ISO 3310/1
60.166.000106	106 µm	-	400 mm	65 mm	ISO 3310/1
60.166.000112	112 µm	-	400 mm	65 mm	ISO 3310/1
60.166.000125	125 µm	-	400 mm	65 mm	ISO 3310/1
60.166.000140	140 µm	-	400 mm	65 mm	ISO 3310/1
60.166.000150	150 µm	-	400 mm	65 mm	ISO 3310/1
60.166.000160	160 µm	-	400 mm	65 mm	ISO 3310/1

60.166.000180	180 µm	-	400 mm	65 mm	ISO 3310/1
60.166.000200	200 µm	-	400 mm	65 mm	ISO 3310/1
60.166.000212	212 µm	-	400 mm	65 mm	ISO 3310/1
60.166.000224	224 µm	-	400 mm	65 mm	ISO 3310/1
60.166.000250	250 µm	-	400 mm	65 mm	ISO 3310/1
60.166.000280	280 µm	-	400 mm	65 mm	ISO 3310/1
60.166.000300	300 µm	-	400 mm	65 mm	ISO 3310/1
60.166.000315	315 µm	-	400 mm	65 mm	ISO 3310/1
60.166.000355	355 µm	-	400 mm	65 mm	ISO 3310/1
60.166.000400	400 µm	-	400 mm	65 mm	ISO 3310/1
60.166.000425	425 µm	-	400 mm	65 mm	ISO 3310/1
60.166.000450	450 µm	-	400 mm	65 mm	ISO 3310/1
60.166.000500	500 µm	-	400 mm	65 mm	ISO 3310/1
60.166.000560	560 µm	-	400 mm	65 mm	ISO 3310/1
60.166.000600	600 µm	-	400 mm	65 mm	ISO 3310/1
60.166.000630	630 µm	-	400 mm	65 mm	ISO 3310/1
60.166.000710	710 µm	-	400 mm	65 mm	ISO 3310/1
60.166.000800	800 µm	-	400 mm	65 mm	ISO 3310/1
60.166.000850	850 µm	-	400 mm	65 mm	ISO 3310/1
60.166.000900	900 µm	-	400 mm	65 mm	ISO 3310/1
60.166.001000	1.00 mm	-	400 mm	65 mm	ISO 3310/1
60.166.001120	1.12 mm	-	400 mm	65 mm	ISO 3310/1
60.166.001180	1.18 mm	-	400 mm	65 mm	ISO 3310/1
60.166.001250	1.25 mm	-	400 mm	65 mm	ISO 3310/1
60.166.001400	1.40 mm	-	400 mm	65 mm	ISO 3310/1
60.166.001600	1.60 mm	-	400 mm	65 mm	ISO 3310/1
60.166.001700	1.70 mm	-	400 mm	65 mm	ISO 3310/1
60.166.001800	1.80 mm	-	400 mm	65 mm	ISO 3310/1
60.166.002000	2.00 mm	-	400 mm	65 mm	ISO 3310/1
60.166.002240	2.24 mm	-	400 mm	65 mm	ISO 3310/1
60.166.002360	2.36 mm	-	400 mm	65 mm	ISO 3310/1

60.166.002500	2.50 mm	-	400 mm	65 mm	ISO 3310/1
60.166.002800	2.80 mm	-	400 mm	65 mm	ISO 3310/1
60.166.003150	3.15 mm	-	400 mm	65 mm	ISO 3310/1
60.166.003350	3.35 mm	-	400 mm	65 mm	ISO 3310/1
60.166.003550	3.55 mm	-	400 mm	65 mm	ISO 3310/1
60.166.004000	4.00 mm	-	400 mm	65 mm	ISO 3310/1
60.166.004500	4.50 mm	-	400 mm	65 mm	ISO 3310/1
60.166.004750	4.75 mm	-	400 mm	65 mm	ISO 3310/1
60.166.005000	5.00 mm	-	400 mm	65 mm	ISO 3310/1
60.166.005600	5.60 mm	-	400 mm	65 mm	ISO 3310/1
60.166.006300	6.30 mm	-	400 mm	65 mm	ISO 3310/1
60.166.006700	6.70 mm	-	400 mm	65 mm	ISO 3310/1
60.166.007100	7.10 mm	-	400 mm	65 mm	ISO 3310/1
60.166.008000	8.00 mm	-	400 mm	65 mm	ISO 3310/1
60.166.009000	9.00 mm	-	400 mm	65 mm	ISO 3310/1
60.166.009500	9.50 mm	-	400 mm	65 mm	ISO 3310/1
60.166.010000	10.00 mm	-	400 mm	65 mm	ISO 3310/1
60.166.011200	11.20 mm	-	400 mm	65 mm	ISO 3310/1
60.166.012500	12.50 mm	-	400 mm	65 mm	ISO 3310/1
60.166.013200	13.20 mm	-	400 mm	65 mm	ISO 3310/1
60.166.014000	14.00 mm	-	400 mm	65 mm	ISO 3310/1
60.166.016000	16.00 mm	-	400 mm	65 mm	ISO 3310/1
60.166.018000	18.00 mm	-	400 mm	65 mm	ISO 3310/1
60.166.019000	19.00 mm	-	400 mm	65 mm	ISO 3310/1
60.166.020000	20.00 mm	-	400 mm	65 mm	ISO 3310/1
60.166.022400	22.40 mm	-	400 mm	65 mm	ISO 3310/1
60.166.025000	25.00 mm	-	400 mm	65 mm	ISO 3310/1
60.166.026500	26.50 mm	-	400 mm	65 mm	ISO 3310/1
60.166.028000	28.00 mm	-	400 mm	65 mm	ISO 3310/1
60.166.031500	31.50 mm	-	400 mm	65 mm	ISO 3310/1
60.166.035500	35.50 mm	-	400 mm	65 mm	ISO 3310/1

60.166.037500	37.50 mm	-	400 mm	65 mm	ISO 3310/1
60.166.040000	40.00 mm	-	400 mm	65 mm	ISO 3310/1
60.166.045000	45.00 mm	-	400 mm	65 mm	ISO 3310/1
60.166.050000	50.00 mm	-	400 mm	65 mm	ISO 3310/1
60.166.053000	53.00 mm	-	400 mm	65 mm	ISO 3310/1
60.166.056000	56.00 mm	-	400 mm	65 mm	ISO 3310/1
60.166.063000	63.00 mm	-	400 mm	65 mm	ISO 3310/1
60.166.071000	71.00 mm	-	400 mm	65 mm	ISO 3310/1
60.166.075000	75.00 mm	-	400 mm	65 mm	ISO 3310/1
60.166.080000	80.00 mm	-	400 mm	65 mm	ISO 3310/1
60.166.090000	90.00 mm	-	400 mm	65 mm	ISO 3310/1
60.166.100000	100.00 mm	-	400 mm	65 mm	ISO 3310/1
60.166.106000	106.00 mm	-	400 mm	65 mm	ISO 3310/1
60.166.112000	112.00 mm	-	400 mm	65 mm	ISO 3310/1
60.166.125000	125.00 mm	-	400 mm	65 mm	ISO 3310/1

## TEST SIEVES Ø 450 MM - 100 MM HEIGHT - ISO 3310/1 - STAINLESS STEEL /WIRE GAUZE

	# mm	# mesh no.	Ø	height	standard
60.168.000036	36 µm	-	450 mm	100 mm	ISO 3310/1
60.168.000038	38 µm	-	450 mm	100 mm	ISO 3310/1
60.168.000040	40 µm	-	450 mm	100 mm	ISO 3310/1
60.168.000045	45 µm	-	450 mm	100 mm	ISO 3310/1
60.168.000050	50 µm	-	450 mm	100 mm	ISO 3310/1
60.168.000053	53 µm	-	450 mm	100 mm	ISO 3310/1
60.168.000056	56 µm	-	450 mm	100 mm	ISO 3310/1
60.168.000063	63 µm	-	450 mm	100 mm	ISO 3310/1
60.168.000071	71 µm	-	450 mm	100 mm	ISO 3310/1
60.168.000075	75 µm	-	450 mm	100 mm	ISO 3310/1
60.168.000080	80 µm	-	450 mm	100 mm	ISO 3310/1
60.168.000090	90 µm	-	450 mm	100 mm	ISO 3310/1

60.168.000100	100 µm	-	450 mm	100 mm	ISO 3310/1
60.168.000106	106 µm	-	450 mm	100 mm	ISO 3310/1
60.168.000112	112 µm	-	450 mm	100 mm	ISO 3310/1
60.168.000125	125 µm	-	450 mm	100 mm	ISO 3310/1
60.168.000140	140 µm	-	450 mm	100 mm	ISO 3310/1
60.168.000150	150 µm	-	450 mm	100 mm	ISO 3310/1
60.168.000160	160 µm	-	450 mm	100 mm	ISO 3310/1
60.168.000180	180 µm	-	450 mm	100 mm	ISO 3310/1
60.168.000200	200 µm	-	450 mm	100 mm	ISO 3310/1
60.168.000212	212 µm	-	450 mm	100 mm	ISO 3310/1
60.168.000224	224 µm	-	450 mm	100 mm	ISO 3310/1
60.168.000250	250 µm	-	450 mm	100 mm	ISO 3310/1
60.168.000280	280 µm	-	450 mm	100 mm	ISO 3310/1
60.168.000300	300 µm	-	450 mm	100 mm	ISO 3310/1
60.168.000315	315 µm	-	450 mm	100 mm	ISO 3310/1
60.168.000355	355 µm	-	450 mm	100 mm	ISO 3310/1
60.168.000400	400 µm	-	450 mm	100 mm	ISO 3310/1
60.168.000425	425 µm	-	450 mm	100 mm	ISO 3310/1
60.168.000450	450 µm	-	450 mm	100 mm	ISO 3310/1
60.168.000500	500 µm	-	450 mm	100 mm	ISO 3310/1
60.168.000560	560 µm	-	450 mm	100 mm	ISO 3310/1
60.168.000600	600 µm	-	450 mm	100 mm	ISO 3310/1
60.168.000630	630 µm	-	450 mm	100 mm	ISO 3310/1
60.168.000710	710 µm	-	450 mm	100 mm	ISO 3310/1
60.168.000800	800 µm	-	450 mm	100 mm	ISO 3310/1
60.168.000850	850 µm	-	450 mm	100 mm	ISO 3310/1
60.168.000900	900 µm	-	450 mm	100 mm	ISO 3310/1
60.168.001000	1.00 mm	-	450 mm	100 mm	ISO 3310/1
60.168.001120	1.12 mm	-	450 mm	100 mm	ISO 3310/1
60.168.001180	1.18 mm	-	450 mm	100 mm	ISO 3310/1
60.168.001250	1.25 mm	-	450 mm	100 mm	ISO 3310/1

60.168.001400	1.40 mm	-	450 mm	100 mm	ISO 3310/1
60.168.001600	1.60 mm	-	450 mm	100 mm	ISO 3310/1
60.168.001700	1.70 mm	-	450 mm	100 mm	ISO 3310/1
60.168.001800	1.80 mm	-	450 mm	100 mm	ISO 3310/1
60.168.002000	2.00 mm	-	450 mm	100 mm	ISO 3310/1
60.168.002240	2.24 mm	-	450 mm	100 mm	ISO 3310/1
60.168.002360	2.36 mm	-	450 mm	100 mm	ISO 3310/1
60.168.002500	2.50 mm	-	450 mm	100 mm	ISO 3310/1
60.168.002800	2.80 mm	-	450 mm	100 mm	ISO 3310/1
60.168.003150	3.15 mm	-	450 mm	100 mm	ISO 3310/1
60.168.003350	3.35 mm	-	450 mm	100 mm	ISO 3310/1
60.168.003550	3.55 mm	-	450 mm	100 mm	ISO 3310/1
60.168.004000	4.00 mm	-	450 mm	100 mm	ISO 3310/1
60.168.004500	4.50 mm	-	450 mm	100 mm	ISO 3310/1
60.168.004750	4.75 mm	-	450 mm	100 mm	ISO 3310/1
60.168.005000	5.00 mm	-	450 mm	100 mm	ISO 3310/1
60.168.005600	5.60 mm	-	450 mm	100 mm	ISO 3310/1
60.168.006300	6.30 mm	-	450 mm	100 mm	ISO 3310/1
60.168.006700	6.70 mm	-	450 mm	100 mm	ISO 3310/1
60.168.007100	7.10 mm	-	450 mm	100 mm	ISO 3310/1
60.168.008000	8.00 mm	-	450 mm	100 mm	ISO 3310/1
60.168.009000	9.00 mm	-	450 mm	100 mm	ISO 3310/1
60.168.009500	9.50 mm	-	450 mm	100 mm	ISO 3310/1
60.168.010000	10.00 mm	-	450 mm	100 mm	ISO 3310/1
60.168.011200	11.20 mm	-	450 mm	100 mm	ISO 3310/1
60.168.012500	12.50 mm	-	450 mm	100 mm	ISO 3310/1
60.168.013200	13.20 mm	-	450 mm	100 mm	ISO 3310/1
60.168.014000	14.00 mm	-	450 mm	100 mm	ISO 3310/1
60.168.016000	16.00 mm	-	450 mm	100 mm	ISO 3310/1
60.168.018000	18.00 mm	-	450 mm	100 mm	ISO 3310/1
60.168.019000	19.00 mm	-	450 mm	100 mm	ISO 3310/1

60.168.020000	20.00 mm	-	450 mm	100 mm	ISO 3310/1
60.168.022400	22.40 mm	-	450 mm	100 mm	ISO 3310/1
60.168.025000	25.00 mm	-	450 mm	100 mm	ISO 3310/1
60.168.026500	26.50 mm	-	450 mm	100 mm	ISO 3310/1
60.168.028000	28.00 mm	-	450 mm	100 mm	ISO 3310/1
60.168.031500	31.50 mm	-	450 mm	100 mm	ISO 3310/1
60.168.035500	35.50 mm	-	450 mm	100 mm	ISO 3310/1
60.168.037500	37.50 mm	-	450 mm	100 mm	ISO 3310/1
60.168.040000	40.00 mm	-	450 mm	100 mm	ISO 3310/1
60.168.045000	45.00 mm	-	450 mm	100 mm	ISO 3310/1
60.168.050000	50.00 mm	-	450 mm	100 mm	ISO 3310/1
60.168.053000	53.00 mm	-	450 mm	100 mm	ISO 3310/1
60.168.056000	56.00 mm	-	450 mm	100 mm	ISO 3310/1
60.168.063000	63.00 mm	-	450 mm	100 mm	ISO 3310/1
60.168.071000	71.00 mm	-	450 mm	100 mm	ISO 3310/1
60.168.075000	75.00 mm	-	450 mm	100 mm	ISO 3310/1
60.168.080000	80.00 mm	-	450 mm	100 mm	ISO 3310/1
60.168.090000	90.00 mm	-	450 mm	100 mm	ISO 3310/1
60.168.100000	100.00 mm	-	450 mm	100 mm	ISO 3310/1
60.168.106000	106.00 mm	-	450 mm	100 mm	ISO 3310/1
60.168.112000	112.00 mm	-	450 mm	100 mm	ISO 3310/1
60.168.125000	125.00 mm	-	450 mm	100 mm	ISO 3310/1

## TEST SIEVES Ø 100 MM - 40 MM HEIGHT - ASTM E11 - STAINLESS STEEL / WIRE GAUZE

	# mm	# mesh no.	Ø	height	standard
60.108.000020	20 µm	635 Mesh	100 mm	40 mm	ASTM E11
60.108.000025	25 µm	500 Mesh	100 mm	40 mm	ASTM E11
60.108.000032	32 µm	450 Mesh	100 mm	40 mm	ASTM E11
60.108.000038	38 µm	400 Mesh	100 mm	40 mm	ASTM E11
60.108.000045	45 µm	325 Mesh	100 mm	40 mm	ASTM E11

60.108.000053	53 µm	270 Mesh	100 mm	40 mm	ASTM E11
60.108.000063	63 µm	230 Mesh	100 mm	40 mm	ASTM E11
60.108.000075	75 µm	200 Mesh	100 mm	40 mm	ASTM E11
60.108.000090	90 µm	170 Mesh	100 mm	40 mm	ASTM E11
60.108.000106	106 µm	140 Mesh	100 mm	40 mm	ASTM E11
60.108.000125	125 µm	120 Mesh	100 mm	40 mm	ASTM E11
60.108.000150	150 µm	100 Mesh	100 mm	40 mm	ASTM E11
60.108.000180	180 µm	80 Mesh	100 mm	40 mm	ASTM E11
60.108.000212	212 µm	70 Mesh	100 mm	40 mm	ASTM E11
60.108.000250	250 µm	60 Mesh	100 mm	40 mm	ASTM E11
60.108.000300	300 µm	50 Mesh	100 mm	40 mm	ASTM E11
60.108.000355	355 µm	45 Mesh	100 mm	40 mm	ASTM E11
60.108.000425	425 µm	40 Mesh	100 mm	40 mm	ASTM E11
60.108.000500	500 µm	35 Mesh	100 mm	40 mm	ASTM E11
60.108.000600	600 µm	30 Mesh	100 mm	40 mm	ASTM E11
60.108.000710	710 µm	25 Mesh	100 mm	40 mm	ASTM E11
60.108.000850	850 µm	20 Mesh	100 mm	40 mm	ASTM E11
60.108.001000	1.00 mm	18 Mesh	100 mm	40 mm	ASTM E11
60.108.001180	1.18 mm	16 Mesh	100 mm	40 mm	ASTM E11
60.108.001400	1.40 mm	14 Mesh	100 mm	40 mm	ASTM E11
60.108.001700	1.70 mm	12 Mesh	100 mm	40 mm	ASTM E11
60.108.002000	2.00 mm	10 Mesh	100 mm	40 mm	ASTM E11
60.108.002360	2.36 mm	8 Mesh	100 mm	40 mm	ASTM E11
60.108.002800	2.80 mm	7 Mesh	100 mm	40 mm	ASTM E11
60.108.003350	3.35 mm	6 Mesh	100 mm	40 mm	ASTM E11
60.108.004000	4.00 mm	5 Mesh	100 mm	40 mm	ASTM E11
60.108.004750	4.75 mm	4 Mesh	100 mm	40 mm	ASTM E11
60.108.005600	5.60 mm	3.5 Mesh	100 mm	40 mm	ASTM E11
60.108.006300	6.30 mm	1/4"	100 mm	40 mm	ASTM E11
60.108.006700	6.70 mm	0.265"	100 mm	40 mm	ASTM E11
60.108.008000	8.00 mm	5/16"	100 mm	40 mm	ASTM E11

60.108.009500	9.50 mm	3/8"	100 mm	40 mm	ASTM E11
60.108.011200	11.20 mm	7/16"	100 mm	40 mm	ASTM E11
60.108.012500	12.50 mm	1/2"	100 mm	40 mm	ASTM E11
60.108.013200	13.20 mm	0.530"	100 mm	40 mm	ASTM E11
60.108.016000	16.00 mm	5/8"	100 mm	40 mm	ASTM E11
60.108.019000	19.00 mm	3/4"	100 mm	40 mm	ASTM E11
60.108.022400	22.40 mm	7/8"	100 mm	40 mm	ASTM E11
60.108.025000	25.00 mm	1"	100 mm	40 mm	ASTM E11
60.108.026500	26.50 mm	1.06"	100 mm	40 mm	ASTM E11
60.108.031500	31.50 mm	1 1/4"	100 mm	40 mm	ASTM E11
60.108.037500	37.50 mm	1 1/2"	100 mm	40 mm	ASTM E11
60.108.045000	45.00 mm	1 3/4"	100 mm	40 mm	ASTM E11

## TEST SIEVES Ø 305 MM - 40 MM HEIGHT - ASTM E11 - STAINLESS STEEL / WIRE GAUZE

	# mm	# mesh no.	Ø	height	standard
60.159.000025	25 µm	500 Mesh	305 mm	40 mm	ASTM E11
60.159.000032	32 µm	450 Mesh	305 mm	40 mm	ASTM E11
60.159.000038	38 µm	400 Mesh	305 mm	40 mm	ASTM E11
60.159.000045	45 µm	325 Mesh	305 mm	40 mm	ASTM E11
60.159.000053	53 µm	270 Mesh	305 mm	40 mm	ASTM E11
60.159.000063	63 µm	230 Mesh	305 mm	40 mm	ASTM E11
60.159.000075	75 µm	200 Mesh	305 mm	40 mm	ASTM E11
60.159.000090	90 µm	170 Mesh	305 mm	40 mm	ASTM E11
60.159.000106	106 µm	140 Mesh	305 mm	40 mm	ASTM E11
60.159.000125	125 µm	120 Mesh	305 mm	40 mm	ASTM E11
60.159.000150	150 µm	100 Mesh	305 mm	40 mm	ASTM E11
60.159.000180	180 µm	80 Mesh	305 mm	40 mm	ASTM E11
60.159.000212	212 µm	70 Mesh	305 mm	40 mm	ASTM E11
60.159.000250	250 µm	60 Mesh	305 mm	40 mm	ASTM E11
60.159.000300	300 µm	50 Mesh	305 mm	40 mm	ASTM E11

60.159.000355	355 µm	45 Mesh	305 mm	40 mm	ASTM E11
60.159.000425	425 µm	40 Mesh	305 mm	40 mm	ASTM E11
60.159.000500	500 µm	35 Mesh	305 mm	40 mm	ASTM E11
60.159.000600	600 µm	30 Mesh	305 mm	40 mm	ASTM E11
60.159.000710	710 µm	25 Mesh	305 mm	40 mm	ASTM E11
60.159.000850	850 µm	20 Mesh	305 mm	40 mm	ASTM E11
60.159.001000	1.00 mm	18 Mesh	305 mm	40 mm	ASTM E11
60.159.001180	1.18 mm	16 Mesh	305 mm	40 mm	ASTM E11
60.159.001400	1.40 mm	14 Mesh	305 mm	40 mm	ASTM E11
60.159.001700	1.70 mm	12 Mesh	305 mm	40 mm	ASTM E11
60.159.002000	2.00 mm	10 Mesh	305 mm	40 mm	ASTM E11
60.159.002360	2.36 mm	8 Mesh	305 mm	40 mm	ASTM E11
60.159.002800	2.80 mm	7 Mesh	305 mm	40 mm	ASTM E11
60.159.003350	3.35 mm	6 Mesh	305 mm	40 mm	ASTM E11
60.159.004000	4.00 mm	5 Mesh	305 mm	40 mm	ASTM E11
60.159.004750	4.75 mm	4 Mesh	305 mm	40 mm	ASTM E11
60.159.005600	5.60 mm	3.5 Mesh	305 mm	40 mm	ASTM E11
60.159.006300	6.30 mm	1/4"	305 mm	40 mm	ASTM E11
60.159.006700	6.70 mm	0.265"	305 mm	40 mm	ASTM E11
60.159.008000	8.00 mm	5/16"	305 mm	40 mm	ASTM E11
60.159.009500	9.50 mm	3/8"	305 mm	40 mm	ASTM E11
60.159.011200	11.20 mm	7/16"	305 mm	40 mm	ASTM E11
60.159.012500	12.50 mm	1/2"	305 mm	40 mm	ASTM E11
60.159.013200	13.20 mm	0.530"	305 mm	40 mm	ASTM E11
60.159.016000	16.00 mm	5/8"	305 mm	40 mm	ASTM E11
60.159.019000	19.00 mm	3/4"	305 mm	40 mm	ASTM E11
60.159.022400	22.40 mm	7/8"	305 mm	40 mm	ASTM E11
60.159.025000	25.00 mm	1"	305 mm	40 mm	ASTM E11
60.159.026500	26.50 mm	1.06"	305 mm	40 mm	ASTM E11
60.159.031500	31.50 mm	1 1/4"	305 mm	40 mm	ASTM E11
60.159.037500	37.50 mm	1 1/2"	305 mm	40 mm	ASTM E11

60.159.045000	45.00 mm	13/4"	305 mm	40 mm	ASTM E11
60.159.050000	50.00 mm	2"	305 mm	40 mm	ASTM E11
60.159.053000	53.00 mm	2.12"	305 mm	40 mm	ASTM E11
60.159.063000	63.00 mm	2 1/2"	305 mm	40 mm	ASTM E11
60.159.075000	75.00 mm	3"	305 mm	40 mm	ASTM E11
60.159.090000	90.00 mm	3 1/2"	305 mm	40 mm	ASTM E11
60.159.100000	100.00 mm	4"	305 mm	40 mm	ASTM E11
60.159.106000	106.00 mm	4.24"	305 mm	40 mm	ASTM E11
60.159.125000	125.00 mm	5"	305 mm	40 mm	ASTM E11

## TEST SIEVES Ø 400 MM - 65 MM HEIGHT - ASTM E11 - STAINLESS STEEL / WIRE GAUZE

	# mm	# mesh no.	Ø	height	standard
60.167.000025	25 µm	500 Mesh	400 mm	65 mm	ASTM E11
60.167.000032	32 µm	450 Mesh	400 mm	65 mm	ASTM E11
60.167.000038	38 µm	400 Mesh	400 mm	65 mm	ASTM E11
60.167.000045	45 µm	325 Mesh	400 mm	65 mm	ASTM E11
60.167.000053	53 µm	270 Mesh	400 mm	65 mm	ASTM E11
60.167.000063	63 µm	230 Mesh	400 mm	65 mm	ASTM E11
60.167.000075	75 µm	200 Mesh	400 mm	65 mm	ASTM E11
60.167.000090	90 µm	170 Mesh	400 mm	65 mm	ASTM E11
60.167.000106	106 µm	140 Mesh	400 mm	65 mm	ASTM E11
60.167.000125	125 µm	120 Mesh	400 mm	65 mm	ASTM E11
60.167.000150	150 µm	100 Mesh	400 mm	65 mm	ASTM E11
60.167.000180	180 µm	80 Mesh	400 mm	65 mm	ASTM E11
60.167.000212	212 µm	70 Mesh	400 mm	65 mm	ASTM E11
60.167.000250	250 µm	60 Mesh	400 mm	65 mm	ASTM E11
60.167.000300	300 µm	50 Mesh	400 mm	65 mm	ASTM E11
60.167.000355	355 µm	45 Mesh	400 mm	65 mm	ASTM E11
60.167.000425	425 µm	40 Mesh	400 mm	65 mm	ASTM E11
60.167.000500	500 µm	35 Mesh	400 mm	65 mm	ASTM E11

60.167.000600	600 µm	30 Mesh	400 mm	65 mm	ASTM E11
60.167.000710	710 µm	25 Mesh	400 mm	65 mm	ASTM E11
60.167.000850	850 µm	20 Mesh	400 mm	65 mm	ASTM E11
60.167.001000	1.00 mm	18 Mesh	400 mm	65 mm	ASTM E11
60.167.001180	1.18 mm	16 Mesh	400 mm	65 mm	ASTM E11
60.167.001400	1.40 mm	14 Mesh	400 mm	65 mm	ASTM E11
60.167.001700	1.70 mm	12 Mesh	400 mm	65 mm	ASTM E11
60.167.002000	2.00 mm	10 Mesh	400 mm	65 mm	ASTM E11
60.167.002360	2.36 mm	8 Mesh	400 mm	65 mm	ASTM E11
60.167.002800	2.80 mm	7 Mesh	400 mm	65 mm	ASTM E11
60.167.003350	3.35 mm	6 Mesh	400 mm	65 mm	ASTM E11
60.167.004000	4.00 mm	5 Mesh	400 mm	65 mm	ASTM E11
60.167.004750	4.75 mm	4 Mesh	400 mm	65 mm	ASTM E11
60.167.005600	5.60 mm	3.5 Mesh	400 mm	65 mm	ASTM E11
60.167.006300	6.30 mm	1/4"	400 mm	65 mm	ASTM E11
60.167.006700	6.70 mm	0.265"	400 mm	65 mm	ASTM E11
60.167.008000	8.00 mm	5/16"	400 mm	65 mm	ASTM E11
60.167.009500	9.50 mm	3/8"	400 mm	65 mm	ASTM E11
60.167.011200	11.20 mm	7/16"	400 mm	65 mm	ASTM E11
60.167.012500	12.50 mm	1/2"	400 mm	65 mm	ASTM E11
60.167.013200	13.20 mm	0.530"	400 mm	65 mm	ASTM E11
60.167.016000	16.00 mm	5/8"	400 mm	65 mm	ASTM E11
60.167.019000	19.00 mm	3/4"	400 mm	65 mm	ASTM E11
60.167.022400	22.40 mm	7/8"	400 mm	65 mm	ASTM E11
60.167.025000	25.00 mm	1"	400 mm	65 mm	ASTM E11
60.167.026500	26.50 mm	1.06"	400 mm	65 mm	ASTM E11
60.167.031500	31.50 mm	1 1/4"	400 mm	65 mm	ASTM E11
60.167.037500	37.50 mm	1 1/2"	400 mm	65 mm	ASTM E11
60.167.045000	45.00 mm	1 3/4"	400 mm	65 mm	ASTM E11
60.167.050000	50.00 mm	2"	400 mm	65 mm	ASTM E11
60.167.053000	53.00 mm	2.12"	400 mm	65 mm	ASTM E11

60.167.063000	63.00 mm	2 1/2"	400 mm	65 mm	ASTM E11
60.167.075000	75.00 mm	3"	400 mm	65 mm	ASTM E11
60.167.090000	90.00 mm	3 1/2"	400 mm	65 mm	ASTM E11
60.167.100000	100.00 mm	4"	400 mm	65 mm	ASTM E11
60.167.106000	106.00 mm	4.24"	400 mm	65 mm	ASTM E11
60.167.125000	125.00 mm	5"	400 mm	65 mm	ASTM E11

## TEST SIEVES Ø 450 MM - 100 MM HEIGHT - ASTM E11 - STAINLESS STEEL / WIRE GAUZE

	# mm	# mesh no.	Ø	height	standard
60.169.000038	38 µm	400 Mesh	450 mm	100 mm	ASTM E11
60.169.000045	45 µm	325 Mesh	450 mm	100 mm	ASTM E11
60.169.000053	53 µm	270 Mesh	450 mm	100 mm	ASTM E11
60.169.000063	63 µm	230 Mesh	450 mm	100 mm	ASTM E11
60.169.000075	75 µm	200 Mesh	450 mm	100 mm	ASTM E11
60.169.000090	90 µm	170 Mesh	450 mm	100 mm	ASTM E11
60.169.000106	106 µm	140 Mesh	450 mm	100 mm	ASTM E11
60.169.000125	125 µm	120 Mesh	450 mm	100 mm	ASTM E11
60.169.000150	150 µm	100 Mesh	450 mm	100 mm	ASTM E11
60.169.000180	180 µm	80 Mesh	450 mm	100 mm	ASTM E11
60.169.000212	212 µm	70 Mesh	450 mm	100 mm	ASTM E11
60.169.000250	250 µm	60 Mesh	450 mm	100 mm	ASTM E11
60.169.000300	300 µm	50 Mesh	450 mm	100 mm	ASTM E11
60.169.000355	355 µm	45 Mesh	450 mm	100 mm	ASTM E11
60.169.000425	425 µm	40 Mesh	450 mm	100 mm	ASTM E11
60.169.000500	500 µm	35 Mesh	450 mm	100 mm	ASTM E11
60.169.000600	600 µm	30 Mesh	450 mm	100 mm	ASTM E11
60.169.000710	710 µm	25 Mesh	450 mm	100 mm	ASTM E11
60.169.000850	850 µm	20 Mesh	450 mm	100 mm	ASTM E11
60.169.001000	1.00 mm	18 Mesh	450 mm	100 mm	ASTM E11
60.169.001180	1.18 mm	16 Mesh	450 mm	100 mm	ASTM E11

60.169.001400	1.40 mm	14 Mesh	450 mm	100 mm	ASTM E11
60.169.001700	1.70 mm	12 Mesh	450 mm	100 mm	ASTM E11
60.169.002000	2.00 mm	10 Mesh	450 mm	100 mm	ASTM E11
60.169.002360	2.36 mm	8 Mesh	450 mm	100 mm	ASTM E11
60.169.002800	2.80 mm	7 Mesh	450 mm	100 mm	ASTM E11
60.169.003350	3.35 mm	6 Mesh	450 mm	100 mm	ASTM E11
60.169.004000	4.00 mm	5 Mesh	450 mm	100 mm	ASTM E11
60.169.004750	4.75 mm	4 Mesh	450 mm	100 mm	ASTM E11
60.169.005600	5.60 mm	3.5 Mesh	450 mm	100 mm	ASTM E11
60.169.006300	6.30 mm	1/4"	450 mm	100 mm	ASTM E11
60.169.006700	6.70 mm	0.265"	450 mm	100 mm	ASTM E11
60.169.008000	8.00 mm	5/16"	450 mm	100 mm	ASTM E11
60.169.009500	9.50 mm	3/8"	450 mm	100 mm	ASTM E11
60.169.011200	11.20 mm	7/16"	450 mm	100 mm	ASTM E11
60.169.012500	12.50 mm	1/2"	450 mm	100 mm	ASTM E11
60.169.013200	13.20 mm	0.530"	450 mm	100 mm	ASTM E11
60.169.016000	16.00 mm	5/8"	450 mm	100 mm	ASTM E11
60.169.019000	19.00 mm	3/4"	450 mm	100 mm	ASTM E11
60.169.022400	22.40 mm	7/8"	450 mm	100 mm	ASTM E11
60.169.025000	25.00 mm	1"	450 mm	100 mm	ASTM E11
60.169.026500	26.50 mm	1.06"	450 mm	100 mm	ASTM E11
60.169.031500	31.50 mm	1 1/4"	450 mm	100 mm	ASTM E11
60.169.037500	37.50 mm	1 1/2"	450 mm	100 mm	ASTM E11
60.169.045000	45.00 mm	1 3/4"	450 mm	100 mm	ASTM E11
60.169.050000	50.00 mm	2"	450 mm	100 mm	ASTM E11
60.169.053000	53.00 mm	2.12"	450 mm	100 mm	ASTM E11
60.169.063000	63.00 mm	2 1/2"	450 mm	100 mm	ASTM E11
60.169.075000	75.00 mm	3"	450 mm	100 mm	ASTM E11
60.169.090000	90.00 mm	3 1/2"	450 mm	100 mm	ASTM E11
60.169.100000	100.00 mm	4"	450 mm	100 mm	ASTM E11
60.169.106000	106.00 mm	4.24"	450 mm	100 mm	ASTM E11

60.169.125000

125.00 mm

5"

450 mm

100 mm

ASTM E11